


Product Guide

It's time to build a better life. It's time to draw the line at average.














Opposite: Custom Collection Face Fixed Aluminium Frame Garage Door with grey aluminium composite panels.





The garage more Australians come home to every day.

Steel-Line have been makers and inventors of garage doors in Australia for over 40 years.

Strong, safe and durable, we make with passion to enhance your lifestyle. It's at the core of what we do.

Scan Me

to see a video of

this door.

Our award-winning doors are the preferred choice for most major Australian builders.

Every door is custom manufactured for your home.







Introducing the

Powermesh Garage Door Controller



Control your door like never before.

Æ







SCAN HERE to watch a video on why the Powermesh Garage Door controller will make your life easier





powermesh®





Any Garage Door Controls1or2garagedoors in any home.


Voice Control Hands-free control by simply speaking.



Existing Motors Works with your existing system.

Flight Path Technology Open your door to different heights.









control for everything else tomorrow.

Google Play

zimi

The app to control it all.





Anywhere Access

Extend your reach to anywhereintheworldwith Zimi Connect.






Temp & Humidity

Monitor the climate inside your garage.



You create it, we make it.




The **Custom** Collection

Your garage door could be the biggest design feature on your home's exterior, so make sure it's also the most striking. There's a Steel-Line product to suit all designs and architectural styles.

Steel-Line's innovative Custom Collection of garage doors offers over a hundred different options for you to choose from.

Let your imagination run wild with our Face Fixed, Insert Panel and Flush Mount selections. Simply match your garage door to the facade of your home and the style that will best suit your aesthetic.

•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	•	•	•	•	•	•	•	•	•	•	•	•			
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
•	•	٠	•	٠	٠	٠	٠	٠	•	٠	•	٠	•	•	•
•	•	٠	•	•	•	•	٠	•	٠	٠	•	•	•	٠	•
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	•	•	•	•	•	•	•	•	•	•	•	•	•		•
															•
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•



Insert Panel Aluminium Frame Selection

Steel-Line offer a stunning range of stylish FingerProof[™] aluminium framed garage doors. You can choose from a wide selection of composite inserts or any compatible custom material to match with your design. Create the look that you want to customise your building to suit your surroundings.


Opposite: Custom Collection Insert Panel Aluminium Frame Garage Door in Night Sky and aluminium composite inserts in Dark Grey.

FingerProof™


design

Over 100


combinations



Configurations



1 FULL PANEL ACROSS




Standard Frame Colours



Standard Insert Panel Options

Polyca	rbonate Multiwa	ll				
Clear	White	Silver Mist	Light Bronze	Grey	-	
Alumin	ium Composite	Panel			Matt Finish	
Metallic Silver	Brushed Silver	Champagne	Medium Bronze	Dark Grey	Black	White
Acrylic						
		-		-		
White Gloss (AN-402)	Opal Gloss (AN-445)	White (AN-422)	Light Grey Tint (AN-2332)	Dark Grey Tin (AN-512)	t	
Other						
		001001001001001	Cost of the		-	
Western Red Cedar	Amplimesh	Perf Mesh Infill	Aluminium Treadplate in Mill Finish	Bar Grille Tube	ŧ	



NOTE: The number of panels is determined by the height of the opening <2440mm (H) = 4 panels; >2450mm (H) = 5 panels. The maximum width of the "1 section" door is 2400mm. The maximum width of the "2 sections" door is 4800mm. Outside of these configurations, check with # The maximum width of the "1 section" Bar Grille Tube door is 1200mm. The maximum width of the "2 section" Bar Grille Tube door is 2400mm. The maximum width of the "2 section" Bar Grille Tube door is 2400mm.



雔

Aluminium Frame Door

2 EQUAL HALVES

4 EQUAL SECTIONS

3 EQUAL THIRDS

5 EQUAL FIFTHS

·®	Sandbank ®	Paperbark ®	Classic Cream ™
Grey ™	Surfmist ®	Windspray ®	Wallaby ™
N	Basalt ™	Ironstone ®	Pale Eucalypt ®
ve TM	Woodland Grey ®	Deep Ocean [®]	Monument ®



Configurations



1 FULL PANEL ACROSS

QUARTER - HALF- QUARTER

	3 EQUAL TH	HIRDS

2 EQUAL HALVES

4 EQUAL SECTIONS

	ЦС	

5 EQUAL FIFTHS

Standard Frame Colours



Face Fixed Aluminium Frame Selection

The face fixed design is laying the aluminium composite panels over the frame for that architectural look. The aluminium composite panels are the premier choice for an exterior cladding that will maximize the beauty of the structure while providing a sustainable product to prolong the life of the building.

Despite being conveniently lightweight, these aluminium composite panels certainly aren't pushovers. They have impressive durability and strength, making them well suited to bearing the tough conditions of the Australian climate. Our face fixed design is lightweight, weather-resistant, has a maximum wind rating of C3 for wind regions C and D in Australia.








Long term durability



Over 100 combinations

Standard Face Fixed Options

Custom Collection Sectional Door in Barn Style Western Red Cedar.



NOTE: The number of panels is determined by the height of the opening <2440mm (H) = 4 panels; >2450mm (H) = 5 panels. The maximum width of the "1 section" door is 2400mm. The maximum width of the "2 sections" door is 4800mm. Outside of these configurations, check with your Product Consultant on price and availability.



Scan Me to see a video of this door.

Custom Collection Sectional Flush Mount Door with vertical clad western red cedar.

Flush Mount Selection


Steel-Line's flush mount garage door blends in your facade with the cladding of your choice to create a seamless appearance to the front of your home. Flush finish means the surface of the garage door and the external wall surrounding it are on the same plane.

The flush mount garage doors are suitable to take a total weight of up to 175kg for tilt doors, and 250kg for sectional doors. They can be clad with the building's exterior materials, including timbers, composite

timbers, metal, aluminium composite panel and acrylic. The integrated cladding materials make the door appear to be part of the building's wall system. Our flush mount doors are perfect for an architecturally designed building giving the exterior cladding a continuous look and essentially making the door invisible.

NOTE: All flush mount garage doors are made to order. Select a cladding material from our range or order as frame only and get your builder to clad on site to match the rest of your façade for that invisible look.









Profile Options

Slimline	Flatline	Glacier	Ranch	Heritage

Window Options

STON RANC
RAY X 4 RAI
\triangleleft
RAY 2 X 2 R
RWOOD RA
CKTON RAN
CKFORD RA
N RANCH



ANCH



4 RANCH



(2 RANCH



D RANCH

RANCH

|--|

RD RANCH



Colour Options





NOTE: Garage door windows are not suitable for cyclonic areas.

Colerbond **Sectional** Doors

Enhance the exterior of your home with a garage door that will compliment any style of architecture. Steel-Line has a range of garage door styles to suit the unique characteristics of your home.

Steel-Line's sectional garage doors have exceptional weather-resistant qualities. They are resilient against normal wind and dust conditions and come with heavy duty aluminium bottom rails containing PVC weather seals, so you can trust that the precious contents of your garage are protected at all times.



Series

"A" series residential door (Range from 750mm to 3430mm in width)

"AA" series residential door (Range from 3435mm to 5500mm in width)

"AA" Series Door Heights Up to and including 2200mm

Up to and including 2400mm Up to and including 2600mm

Up to and including 2700mm Up to and including 3000mm

"A" Series Door Heights
Up to and including 1200mm
Up to and including 2100mm
Up to and including 2200mm
Up to and including 2400mm
Up to and including 2600mm
Up to and including 2700mm
Up to and including 3000mm

"B" series light industrial door

(Range from 2855mm to 5500mm in width)

"B" Series Door Heights
Up to and including 3300mm
Up to and including 3600mm
Up to and including 4200mm
Up to and including 4800mm
Up to and including 5100mm

Colour Options





Colerbond **Roller Doors**

Our range of Colorbond® colours and smooth operation, Steel-Line garage roller doors become true design features of your home.

Manufactured with heavy duty bottom rails containing durable PVC weather seals, a Steel-Line garage roller door provides your precious garage contents with excellent protection from the harsh elements.

All Steel-Line garage doors revolve on precisionmade drum wheels. Garage doors are counterbalanced using helical coil springs to ensure perfect balance and operation. All our springs are heat treated and tempered to give years of trouble free operation.

Opposite: Roller Door in Colorbond® Deep Ocean®.









UniCote[®] LUX is an imported pre-painted steel product designed to suit Australian high-end Architecture. Drawing inspiration from around the world, feel inspired by the range of unique patterns and finishes available in this range.

UniCote[®] LUX is the future of Australian pre-painted steel design. The range is manufactured and tested to meet all weather conditions, resistant to chipping, peeling or cracking. UniCote[®] LUX doors are made from 0.7 G300 substrate which is durable, non combustible and meets Australian standards: AS/NZS 1365:1996 1, AS 1397:2011 and ISO 9001:2015.

Profile Options

Slimline	Flatline	Glacier

Colour Options

Architectural Series



Saffiano

NOTE: Available in smooth or textured finish only. Please see product samples.

| Timbers of the World Series



NOTE: Ashwood has a smooth finish whilst other "Timbers of the World" series have a slightly textured finish. Please see product samples.





Matt Doors

The Matt look garage door is made from BlueScope® steel, which allows you to make stylish and defining design choices for your home.

Choose from five colours: Surfmist[®], Shale Grey[™], Dune[®], Basalt[®], and Monument[®] to make your design statement.

Opposite: Flatline Sectional Garage Door in Monument[®] matt look.

Sectional Profile Options

Slimline	Flatline	Glacier




Ranch

Note: Also available in a roller door.

Heritage

Colorbond Colour Options





Tilt Doors

Not enough room in your garage for a sectional or roller door? A lot of older garages can be quite limited in space.


Steel-Line tilt garage doors offer the perfect solution for smaller garages or spaces with restricted side or head room. Manufactured to fit most garage openings and easily installed, the tilt garage door offers safety, security and convenience in a wide range of colours and materials.

The choices of material is almost as varied as your imagination allows and commonly includes plywood and moulding, K-panel, Colorbond®, Western Red Cedar, aluminium composite panels, copper sheeting, clear or textured glass/ acrylic, and many other types of cladding.

NOTE: Not all options available in all markets. Please refer to your Product Consultant for our wide variety of design options in your area.








Smooth and Powder Coat Doors

Stylish, strong and durable. Steel-Line's innovative Smooth and Powder Coat Custom Sectional Door range are made from 0.7 G300 substrate which is durable, non combustible and meets Australian standards: AS/NZS 1365:1996 1, AS 1397:2011 and ISO 9001:2015.

Profile Options



Note: Maximum width 5600mm.
















Classic Cream [™] Evening Haze [®] Dune [®]



Steel-Line's aluminium Louvre sectional garage door has been developed to give a high level of airflow and natural

Steel-Line sets a new benchmark for Louvre garage doors. Designed and manufactured in Australia, our Louvre garage door is extremely strong and secure with a modern architectural look. It's ability to provide privacy for what is inside and still allow a minimum 22% ventilation, makes this the door of choice for many modern

Steel-Line Louvre garage doors have been engineered to the highest standard and tested at the JCU Cyclone Testing Station against the wind loading requirements of AS/NZS 4505-2012 (also available for C2 & C3).






The Timber **Look Series**

Your garage door is often the largest and most prominent frontal feature of your home. For this reason, choosing the right garage door is a crucial decision that can significantly influence the value and aesthetics of your most prized asset.

If you like the natural look and warmth that wood conveys, we can offer you Natural Timber, DecoWood[®], Colorbond[®], UniCote[®] LUX Timbers of the World and our Biowood® series.

Each offering has different benefits depending on your requirements, while providing the warm and homey charm that a timber look provides.

Our impressive assortment of beautifully crafted options offers a classic and timeless style that evokes a feeling of tradition with a modern twist.





The DecoWood® garage door is ideal for coastal properties and bushfire prone areas with its marine grade powder coating. It is made from BlueScope[®] steel, which is an incredibly versatile material, preferred by builders and designers alike for its strength, durability, flexibility, lightness and corrosion-resistance.

Unlike timber, DecoWood® garage doors don't warp, shrink, splinter or rot. They require little maintenance, and they are also completely impervious to termites.

Profile Options

Slimline	Flatling	Glacier

Ranch	Heritage

Ranch

Colour Options

American Oak	Weathered Timber	Silky Oak
	國民主義	WERE CO.
Casuarina	Kwila	Chestnut
Charles and		
Bush Cherry	Ironbark	Western Red Cedar
ale sel.		
Jarrah	Merbau	Wenge






Colerbond Timber Selection

Steel-Line's Colorbond[®] Timber Selection offers the strength of a Colorbond[®] Steel door with the style of the Colorbond[®] colours.

A garage door made from Colorbond[®] steel will also give you lifelong performance. Thanks to the five-layer design of Colorbond[®] steel, it provides corrosion resistance and a durable baked on paint finish, making it look great and easy to maintain.

With the Colorbond[®] Timber colours, Colorbond[®] steel provides an elegant twist providing even greater design opportunities for your home.





Profile Options



Colerbond Colour Options

Classic Cedar®Blushed Teak™Caoba®



36 | STEEL-LINE

Ranch

Heritage



Ashen Black Oak™



The UniCote[®] LUX - Timbers of the World Series draws inspiration from all over the globe to bring the beautiful natural look of timber to your front door.

Drawing inspiration from around the world, UniCote® LUX offers a range of timber finishes to suit your next project. With the strength of steel, UniCote® LUX products are manufactured and tested to meet all weather conditions to offer you a long lasting product and peace of mind.

UniCote[®] LUX paint systems are proven to provide resistance to chipping, peeling or cracking, offering excellent colour and gloss retention. UniCote® LUX doors are made from 0.7 G300 substrate which is durable, non combustible and meets Australian standards: AS/NZS 1365:1996 1, AS 1397:2011 and ISO 9001:2015.

•	•	•	•	٠	٠	•	•	•	•	٠	٠	•	•	٠	•	٠	•	• •
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		66
•	•																	
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	5.010
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	• •
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	• •
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•••
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	• •
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	• •
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	• •
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•••
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	• •





Profile Options



Colour Options





Gympie Messmate

Brazilian Walnut

NOTE:

Ashwood has a smooth finish whilst other "Timbers of the World" series have a slightly textured finish. Please see product samples.

38 | STEEL-LINE





Western Red Cedar

Kapur

African Blackwood

Natural Timber Selection

Stand out from the crowd with a door as unique as you.

As our timber garage doors are custom designed and manufactured, you can rest assured we will create a product to meet your dimensions and requirements. No matter what shape or size your garage is, a timber door can be made to suit it - and it will look fantastic.

And because this range is custom-built using natural products, you can look forward to having a truly one-of-a-kind garage door that has its own unique look and character.

The most popular timber used in this range is Western Red Cedar, a lightweight yet solid timber that looks equally beautiful on a renovated or new home being built.


Profile Options





V joint

Colour Options



Teak

Dark Oak Walnut







Timber Selection

Steel-Line's BioWood[®] garage door retains the natural look and feel, is low maintenance and meets the standard for fire safety under BAL-29 conditions.

There are several good reasons to choose a BioWood® garage door for your home. BioWood® wood composite products are created using 0.85 density natural cellulose fibre from plantation harvested timber combined with a specially formulated resin. It retains the aesthetic natural look and feel of wood, is lightweight, provides a high degree of water resistance, does not bleach, split, crack, and is suitable for both marine applications, and bushfire-prone areas up to BAL-29 conditions; as specified in AS3959:2018. The product is termite resistant, low maintenance and is green certified by Global Green Tag. It is the perfect durable product for all building applications.

•	٠	٠	٠	٠	٠	•	•	•	•	٠	٠	•	•	•	٠	٠	•	•	•	•
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	~	•
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•				
																				2
																		1		
	•		•		•	•	•	•	•	•	•	•	•	•	•	•				
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•			
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
•	٠	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
•	•																			







Profile Options









150mm x 18mm Shiplap



Colour Options





Weatherwood

Wind Rated Doors

Stringently tested to meet wind load requirements.

Steel-Line wind rated garage doors have been engineered to the highest standard and tested against the wind loading requirements of AS/NZS 4505:2012.



Strut-Lock[™] Wind Rated Sectional Garage Doors

The Strut-Lock door is post free, incorporating the use of heavy duty struts, robust commercial hinges, top brackets in combination with a unique stile reinforcement to provide maximum resistance to forces exerted by cyclonic and high winds up to 5.5m (also available for C2 & up to N4).

Wind Rated Wind Brace Sectional Garage Doors

The Wind Brace design feature with removable steel wind brace post(s) is installed to the sectional garage door once a cyclone warning is received. It takes about 2-5 minutes to install, and no tools are required. This feature can significantly enhance wind resistance up to C4 wind rating while still ensuring a smooth door operation (also available up to 6m for C2, C3, C4 & up to N6).





Wind rated Slimline Sectional Garage Door in Colorbond® Jasper®.

Wind Rated Roller Doors

The wind rated roller doors are designed to provide additional wind resistance in extreme weather conditions. The new Wind Rated roller doors have been designed to reduce noise and increase service life. Optimised to suit your requirements, the Wind Rated roller doors are suitable for homes, sheds, commercial and industrial warehouses in cyclonic and non-cyclonic areas (C2/ N4 up to 5.5m).

Commercial and Industrial Doors

Steel-Line offer a range of commercial and industrial closures in partnership with Arco Architectural Systems that combine strength, security and reliability. We offer high quality products, exceptional customer service and real value for money within the commercial and industrial space.

Our products are typically customised to suit project specific criteria. In particular, roller shutters and roller grilles are usually individually designed to suit architectural, ventilation and aesthetic requirements.

Steel-line and Arco Architectural Systems assist in all stages of the construction process - from design specifications through to estimating, project management, supervision of the installation and efficient after sales service.



Commercial Doors

- Slimline Aluminium Shutter
- Mikado Multi Folding Door
- Arcade 2 Aluminium Roller Shutter
- Arcade 3 Aluminium Roller Shutter
- Clear Roller Shutter
- Arco Fold / Arco Stack

Industrial Doors

- •
- •
- - - A1000 Tilt Up Counterweight Balanced Door
 - •
 - A4000 Counterweight Balanced Door •
 - •
 - Sliding Gate / Swing Gate •

46 | STEEL-LINE



- Stadium Aluminium Roller Grille
- Q100/Q75 Steel Roller Shutter
- A1500 Counterweight Balanced Door
- A3000 Foldaway Counterweight Balanced Door
- A2000 Hingeway Counterweight Balanced Door
- A5000 Vertical Lift Counterweight Balanced Door
- Fire Shutter / High Speed Doors



DESIGN YOUR DOOR SHOPPING GUIDE





Create your design



Select a colour







Select a Service Care Plan



Using the icon guide at the bottom of each page, select your door type.









SECTIONAL GARAGE DOORS

Make a bold impression with the attractive range of Steel-Line sectional garage doors. Enhance the exterior of your home with a garage door that will complement any style of architecture with a range of door styles and colours to suit the unique characteristics of your home.

ROLLER DOORS

Easy to use and long lasting, our roller doors can be made to suit almost any size opening. Combine this with a range of Colorbond® colours and smooth operation, they become true design features of your home.

ALUMINIUM FRAME DOORS

Steel-Line's innovative Custom Collection range of garage doors offers over a hundred different garage doors for you to choose from. You simply look at the façade of your home and decide what style would best suit from our wide range of options.

TILT GARAGE DOORS

Is there a particular style or feature that you have not seen in the huge range of Steel-Line garage doors? You may have a specific design feature, profile, colour, style or material in mind, or some physical requirements which a standard garage door cannot satisfy. A tilt or custom timber door could be your answer.

Shopping Guide







Depending on the door type, now select a profile and/or series.

SECTIONAL GARAGE DOORS

SELECT A PROFILE AND FINISH TYPE



Windows can only be fitted to Ranch or Heritage designs in standard Colorbond® colours. TF: Textured finish. SF: Smooth finish. * Smooth finish is available in the Smooth and Powdercoat range at premium pricing.

ADD WINDOWS

Ruston Heritage	Ruston Ranch	Sunray x 8 Heritage
Sunray x 4 Ranch	Sunray 2 x 4 Heritage	Sunray 2 x 2 Ranch
Sherwood 4 x 4 Heritage	Sherwood Ranch	Ventilation
Stockton Ranch	Stockton Heritage	Stockford Ranch
Plain Heritage	Plain Ranch	
ROLLER DOORS		
	Control of	

| SELECT A SERIES

"A" series residential door (Range from 750mm to 3430mm in width)

"A" Series Door Heights
Up to and including 1200mm
Up to and including 2100mm
Up to and including 2200mm
Up to and including 2400mm
Up to and including 2600mm
Up to and including 2700mm
Up to and including 3000mm

"AA" series residential door

(Range from 3435mm to 5500mm in width)

"AA" Series Door Heights	
Up to and including 2200mm	ı
Up to and including 2400mm	ı
Up to and including 2600mm	ı
Up to and including 2700mm	n
Up to and including 3000mm	ı

"B" series light industrial door (Range from 2855mm to 5500mm in width)

"	B" Series Door Heights
U	p to and including 3300mm
U	p to and including 3600mm
U	p to and including 4200mm
U	p to and including 4800mm
U	p to and including 5100mm

ALUMINIUM FRAME DOORS

| SELECT A PROFILE

Aluminium Framed Insert Series

2 EQUAL HALVES	3

1 FULL PANEL ACROSS

QUARTE	R - HALF - QUAR	TER

4 EQUAL SECTIONS


Aluminium Face Fixed Series



Louvre Door


1 FULL PANEL ACROSS

2 EQUAL HALVES



4 EQUAL SECTIONS







Natural Timber Door Profile

V JOINT

SHIPLAP

NOTE: The number of panels is determined by the height of the opening <2440mm (H) = 4 panels; >2450mm (H) = 5 panels. he maximum width of the "1 section" door is 2400mm, if the inserts are aluminium composite panels, acrylic, Western Red Cedar or aluminium treadplate. The maximum width of the "2 sections" aluminium composite door is 4800mm Dutside of these configurations, check with your Product Consultant on price and availability.

TILT GARAGE DOORS

Please refer to your product consultant as we offer unlimited designs for your Tilt Garage Door which can include:

- Plywood and Moulding •
- Western Red Cedar •
- Aluminium Composite Cladding
- Copper Sheeting
- K-Panel
- Colorbond® • and much more

3 EQUAL THIRDS

5 EQUAL FIFTHS

3 EQUAL THIRDS


5 EQUAL FIFTHS



88M X 12MM TONGUE & GROOVE







53

Aluminium Face Fixed Options							
Western Red Cedar	Western Red Cedar Barn Style	Aluminium Battens	Decowood Battens				
Natural Timber Door							
Natural/No Stain	Pine	Light Oak	Teak	Dark Oak			
Bio	e by GRM (Aust.)						
Spotted Gum	Weatherwood						
TILT GARAGE DOORS							

Please refer to your product consultant as we offer unlimited designs for your Tilt Garage Door which can include:


- Plywood and Moulding •
 - Western Red Cedar
 - Colorbond[®] • and much more

K-Panel

- Aluminium Composite Cladding
- Copper Sheeting •

•

We're better together. We are makers for life.



Shopping Guide

some things you can't control....

others you can.



STEP FOUR: SELECT AN OPENER AND HOME ENHANCER

OPENERS

| SECTIONAL / ALUMINIUM FRAME / TILT GARAGE DOORS

Marantec Comfort 270 Sectional Door Opener

Marantec Comfort 280 Sectional Door Opener



Max garage door size: 16.5m² Max door weight: 165K Max peak pulling force: 750N

1 x wireless wall transmitter 2 x three channel key ring transmitters 7 year motor warranty

(7 year electronics)

SD800 Sectional Door Opener # S Builders Choice



Note: # Not suitable for Tilt Doors.

- Max garage door size: 12m²
- Max door weight: 110Kg
- Max peak pulling force: 800N
- 2 x four channel key ring transmitters, 1 x wireless wall transmitter
- Inbuilt service reminder 5 year motor warranty

owermes

compatib

(2 year electronics)

| ROLLER DOORS 🖷

RD800 Roller Door Opener Suilders Choice



- Max garage door size: 18m² Max peak pulling force: 800N
- 1 x powerhead, 2 x three channel key ring transmitters, 1 x wireless wall transmitter, 1 x weight bar
- 5 year motor warranty (2 year electronics)

Marantec SR1000 Roller Door Opener



- Max garage door size: 22m²
- Max peak pulling force: 1000N
- 1 x powerhead, 2 x two channel key ring transmitters, 1 x wireless wall transmitter, 1 x weight bar
- 5 year motor warranty (2 year electronics)





simply safer

- Max garage door size: 18.5m²
- Max door weight: 200Kg 1 x wireless wall transmitter
- 2 x three channel
- key ring transmitters Max peak pulling force: 1000N
- 7 vear motor warranty (7 year electronics)

Marantec Comfort 380 Sectional Door Opener

Max garage door size: 20m²

compatibl

- Max door weight: 220Kg
- 1 x wireless wall transmitter 2 x three channel key ring transmitters
- Max peak pulling force: 1100N

cyclonic regions

7 vear motor warrantv 7 year electronics)



Suilders Choice

SD1200 Sectional Door Opener

- Max garage door size: 18.5m²
- Max door weight: 240Kg
- Max peak pulling force: 1200N
- 2 x four channel key ring transmitters, 1 x wireless wall transmitter
- Inbuilt service reminder
- 5 year motor warranty (2 year electronics)

RD1200 Roller Door Opener Suilders Choice



- Max garage door size: 25m² (18m²) for wind rated doors)
- Max peak pulling force: 1200N
- 1 x powerhead, 2 x three channel key ring transmitters, 1 x wireless wall transmitter, 1 x weight bar
- 2 year motor warranty (2 year electronics)

Marantec SR1300 Roller Door Opener



- Max garage door size: 25m²; 18m² for wind locked doors
- Max peak pulling force: 1300N
- 1 x powerhead, 2 x two channel key ring transmitters, 1 x wireless wall transmitter, 1 x weight bar
- 2 year motor warranty (2 year electronics)

Shopping Guide

| Merlin OPENERS

simply safer

Max garage door size: 20m²

Max door weight: 150/286Kg *

Max peak pulling force: 1200N

button wireless wall transmitter

• 2 x premium remotes. 1 x two

MYQ compatible

 7 year warranty Note: *When IR beams are installed.

HOME ENHANCERS

Coastal Upgrade Pack

 \bigcirc rade Pack includes Brush Seals, Powdercoated tracks and



Pack includes Brush Seals, AA Aluminium tracks with the no lock option.

Photo Electric Beams



The Photo Electric Beam is designed to detect an obstruction while the door is closing and to send a signal to the opener to reverse or stop the door movement. It helps to protect your family from injury and your car from the damage caused by contact.

The Coastal Upgrade

Packs for both Sectional

that are located within 5

kilometres from the sea to

offer enhanced protection

against the elements.

Doors and Roller Doors are

recommended for all doors

Wireless Security Keypad



The security keypad can be programmed with multiple, unique user codes. It is perfect for the family, trades people, or even just going for a walk. This means you can leave your keys at home with the peace of mind that your home is secure.

Additional Handsets



Key ring remote transmitters are small and convenient with the ability to operate up to four doors or gates from the one unit. A must have for every set of keys in the house.

Brush Seal



A tough and durable brush seal can help better protect your garage from the elements and satisfies the "Construction of buildings in bushfire-prone areas" standard AS3959:2018 for protecting against fire embers entering the garage.

Commander Ultimate



Note: # Not suitable for Tilt Doors.

| ROLLER DOORS 🚿

WeatherDrive



Max garage door size: 15m²

- Max door weight: 100Kg Max peak pulling force: 500N
- 2 x premium remote controls, 1 x wireless wall transmitter. 1 x weight bar
- Weather resistant (IP34 rated housing

• Max garage door size: 18m²

• Max peak pulling force: 550N

• 2 x premium remotes, 1 x two

button wireless wall transmitter, 1 x

• Max door weight: 120Kg

weight bar

• 7 year warranty

• 3 year warranty





Grifco LR Drive



• Max garage door size: 28m² / wind locked 22m²

• Max garage door size: 16.5m²

Max peak pulling force: 500N

• 2 x premium remotes, 1 x two

button wireless wall transmitter, 1 x

• Max door weight: 100Kg

weight bar

• 5 year warranty

- Max door weight: 270Kg
- Max peak pulling force: 1300N
- 1 x battery backup unit, 2 x E960G 4 channel keyring transmitters, 1 x E138G wireless wall transmitter
- 2 year, 10000 cycle warranty

SilentDrive Elite





myQ Gateway and The IR Beams).

away from home. Includes Protector System™ (Safety

Max door weight: 150Kg Max peak pulling force: 1000N 2 x premium remotes, 1 x two button wireless wall transmitter

| SECTIONAL / ALUMINIUM FRAME / TILT GARAGE DOORS

Max garage door size: 20m²

• Max garage door size: 16.5m²

Max peak pulling force: 600N

• 2 x premium remotes, MYQ remote

• Max door weight: 280Kg

battery backup

 MYQ compatible • 7 year warranty

MYQ compatible

• 7 year warranty



Add on: MYQ Connectivity Bundle

Commander Extreme #

Commander Elite





Add monitoring and control

LED light, safety IR beams, smart control panel, automatic door lock, cable extension motor, integrated







Control your garage door anytime, anywhere with the Powermesh home automation system. For more information see page 8-9.



Powermesh products work with the Zimi home ecosystem. Make your life easier and get connected today www.zimi.life

Battery Backup



The Marantec Comfort 380 is available with a battery backup that provides an energy supply in the event of a power cut.

Emergency Key Release



Used in case of malfunction or power failure, especially useful if there is no other access to the garage.

Wireless Wall Mounted Remote





Can be installed near an internal access door to your garage giving you greater convenience to open and close your garage door.

Garage Door Insulation



Steel-Line garage door insulation minimises the effects of the harsh Australian climate, by reducing heat loss and heat gain transferring through the door panel. Only available with Colorbond Sectiona Smooth and Powdercoat doors.

Cut energy costs



59

simply safer

Automatic garage locking system providing enhanced security for you, your family and your home.


STEP FIVE: SELECT A SERVICE CARE PLAN

Service Care Plan

With a Steel-Line Garage Door Service Plan you can enjoy peace of mind for less with our 3 and 5 year service plans at a much lower cost.

Reassurance will only cost one upfront payment and will ensure your door is always under warranty. Steel-Line Garage Doors has qualified Garage and Roller Door Service Technicians on-hand to service or repair your garage door.

With one upfront payment, you save money and can rest assured your door remains in tip top condition and fullfils your warranty condition to service your door annually.



Steel-Line Door Service Plan Key Benefits:

- Available Australia wide
- Significant savings with one up front payment
- Guarantee your garage door is serviced by Steel-Line gualified technicians
- Assurance your garage door is working in peak condition with regular check ups

3 and 5 year service plans available.

Ask your local branch about how to sign up for a plan today.

Terms and Conditions: Service care plan is only available on doors 11 months old or less. - Parts are not included. - Only applicable to the doors fitted and is not transferable.

SECURA-LOCK

Garages can often be the entry point for intruders as they not only contain high value and portable items such as cars and bikes, but also can often provide internal and discrete access to your home. The Secura-Lock offers you security and peace of mind.

How it works?

The Secura-Lock has been designed using advanced technology and will automatically engage when you close your door using your remote control.

The locking pin extends when the door reaches the closed position, providing you additional security and protection.

When opening, the locking pin will automatically retract, disengaging the Secura-Lock and allowing the door to raise to position.

Effortless installation and

integration with Marantec

sectional door openers

Features



Engineered with the latest electronic technology to offer optimum protection




Simple disengagement in the event of power failure

High quality, slim, attractive aesthetic enhances its sophisticated design



Set and forget. No regular charging or battery changing requirement

NOTE: Compatible with double or single sectional garage doors.



60 | STEEL-LINE











Buy Now. Pay Later. zip.co/apply

Zip is an easy and flexible payment method which gives you the freedom to buy now and pay later. There are two reusable account types, Zip Pay and Zip Money. Repayments are flexible to suit your lifestyle - weekly, fortnightly or monthly, and you can pay as much as you like as long as you meet your minimum monthly repayments (advised at the time of sign up).



Zip Account

Apply for reusable Zip account with a limit that suits your needs.

Payment Flexibility

Everyone's different. That's why Zip Up to 12 months interest free. lets you tailor your payments to suit your lifestyle.

Interest Free



Apply for Zip



How it works


Get Zip approval



Order your Steel-Line products



makers for life



** ** ** ** **

Make your choice easier by taking a photo of your own home, then select, design and colour match your perfect garage door with our online visualiser. It's easy and fun.

steel-line.com.au



If you're ready to draw the line at average and reach for better call us today.

1300 427 243

To locate Steel-Line branches across Australia visit **steel-line.com.au** QLD

Scan Me

CAIRNS TOWNSVILLE SUNSHINE COAST BRISBANE GOLD COAST

NSW

COFFS HARBOUR NEWCASTLE SYDNEY WOLLONGONG

VIC

CAMPBELLFIELD DANDENONG GEELONG

TAS

HOBART

SA ADELAIDE

WA PERTH

NT DARWIN