

QUALITY, STYLE  
& PERFORMANCE



01

## A Proud History of Energy Efficiency

For nearly 40 years energy efficiency has been our driving passion. Rylock design and specify products for Australia's diverse landscape, with a focus on high performance double glazing and frame conductivity.

02

## Custom Fabricated Contemporary Profiles

Rylock's aluminium profiles were originally designed to emulate the appearance of timber products. They are custom fabricated from locally sourced materials in our state of the art facilities which features CNC tooling for precision repetition machining.

03

## Our Tailored Consultation

Rylock's knowledgeable Sales Consultants provide a personalised and free advisory service. This considers your site location and orientation to maximise natural air-flow, whilst enhancing your connection with the outdoors.

04

## Extruded Flyscreen Frames


Rylock products are available with high quality flyscreens for optimal comfort throughout your home. Extruded frames deliver superior strength and maintain their shape compared to weaker roll-formed alternatives. They feature a heavy duty wool pile to discourage insects into your home.

05

## Superior Design with Inline Reveals

All Rylock products have the timber reveal inline with the aluminium frame. This ensures they're as easy to fit as traditional timber windows, whilst the timber reveal 'shields' part of the aluminium frame to minimise heat transfer and improves energy efficiency.





Rylock's designs look at home in traditional, contemporary or cutting edge projects and our flexible configurations create stunning architectural features.



---

## Thirty Standard Colours & Textures

Powder coating is undertaken in-house and independently tested by CSIRO for durability. The 30 standard finishes include traditional tones, contemporary metallics and ColorBond™ favourites - plus five coatings from the Interpon Textura™ collection recently added.

---

## Multiple Weather Seals

All Rylock products feature at least two weather seals on every moving panel to reduce drafts, rain and intrusive noise. All glass is installed between flexible seals to ensure weather tightness and rattle-free glazing.

---

## Technical Resource Library

Rylock has extensive resources to support customers in the best practice application of our products, including custom ratings by the AWA's WERS scheme for thermal assessment. Our online library has technical drawings in addition to operation and adjustment videos.

---

## Extensive Site Service Capability

Rylock offers considerable site service and glazing capabilities. With glass sizes ever increasing, our site glazing capability is now enhanced with the purchase of a mobile crane for use throughout Victoria, in circumstances where site conditions permit.

---

## Australian Made and Owned

Rylock products deliver quality, style and performance. They are designed, specified and custom manufactured with Australia's diverse landscape in mind. We welcome you to visit our interactive showrooms and take a guided tour of our state of the art manufacturing facilities.

---

06

07

08

09

10

Experience quality, style  
and performance at  
your nearest showroom.

## **VICTORIA**

### **Coburg North**

129 Bakers Road

### **Dingley**

369 – 377 Lower Dandenong Road

## **NEW SOUTH WALES**

### **Artarmon**

(by appointment)  
11 / 76 Reserve Road

### **Kingsgrove**

2 / 1 The Crescent

## **SOUTH AUSTRALIA**

### **Ashford**

(Home Ideas Centre, display only)  
113 Anzac Hwy

### **Woodville North**

26 Audley Street

## **TASMANIA**

### **Glenorchy**

(42 Energy Street, display only)  
Cnr Brooker Hwy & Elwick Rd

**rylock.com.au**

**1800 RYLOCK**

Disclaimer: Rylock is committed to a continual  
process of product development and improvement.  
Consequently, some windows and doors in this  
document may no longer be available in the form  
illustrated. Your Sales Consultant can offer further  
guidance at the time of your consultation. VD21.1

Image: Aaron Martin Homes.

