



Winter  
Gardenz™

QUALITY NEW ZEALAND MADE  
**GREENHOUSE RANGE**



**10**

**YEARS**

POLY & SHADE GUARANTEE

**25**

**YEARS**

GLASS GUARANTEE

**NZ**

**MADE**

GREENHOUSES



**NO PANEL**

BLOWOUTS



**RESISTANT**

QUALITY MATERIALS



**150K/HR**


WIND RATING

Leading manufacturer of innovative, award-winning quality greenhouses & systems

[www.WinterGardenz.co.nz](http://www.WinterGardenz.co.nz)

# STANDARD RESIDENTIAL SIZE RANGE

## NZ'S LARGEST RANGE OF QUALITY GREENHOUSES




|  |   |  |
|--|---|--|
| <p><b>6X6 GREENHOUSES</b><br/>W 1972mm x L 1972mm. 1 door &amp; 2 roof vents</p> <p>6mm Polycarbonate PG0606H-PC6<br/>4mm Safety Glass PG0606H-TG4<br/>Shade Mesh PG0606H-SM5</p>  | <p><b>8X6 GREENHOUSES</b><br/>W 2596mm x L 1972mm. 2 sliding doors &amp; 2 roof vents</p> <p>6mm Polycarbonate PG0806H-PC6<br/>4mm Safety Glass PG0806H-TG4<br/>Shade Mesh PG0806H-SM5</p>  | <p><b>10X8 GREENHOUSES</b><br/>W 3220mm x L 2596mm. 2 sliding doors &amp; 4 roof vents</p> <p>6mm Polycarbonate UG1008H-PC6<br/>4mm Safety Glass UG1008H-TG4<br/>Shade Mesh UG1008H-SM5</p>    |
| <p><b>6X8 GREENHOUSES</b><br/>W 1972mm x L 2596mm. 1 door &amp; 2 roof vents</p> <p>6mm Polycarbonate PG0608H-PC6<br/>4mm Safety Glass PG0608H-TG4<br/>Shade Mesh PG0608H-SM5</p>  | <p><b>8X8 GREENHOUSES</b><br/>W 2596mm x L 2596mm. 2 sliding doors &amp; 2 roof vents</p> <p>6mm Polycarbonate PG0808H-PC6<br/>4mm Safety Glass PG0808H-TG4<br/>Shade Mesh PG0808H-SM5</p>  | <p><b>10X10 GREENHOUSES</b><br/>W 3220mm x L 3220mm. 2 sliding doors &amp; 4 roof vents</p> <p>6mm Polycarbonate UG1010H-PC6<br/>4mm Safety Glass UG1010H-TG4<br/>Shade Mesh UG1010H-SM5</p>   |
| <p><b>6X10 GREENHOUSES</b><br/>W 1972mm x L 3220mm. 1 door &amp; 2 roof vents</p> <p>6mm Polycarbonate PG0610H-PC6<br/>4mm Safety Glass PG0610H-TG4<br/>Shade Mesh PG0610H-SM5</p> | <p><b>8X10 GREENHOUSES</b><br/>W 2596mm x L 3220mm. 2 sliding doors &amp; 2 roof vents</p> <p>6mm Polycarbonate PG0810H-PC6<br/>4mm Safety Glass PG0810H-TG4<br/>Shade Mesh PG0810H-SM5</p> | <p><b>10X12 GREENHOUSES</b><br/>W 3220mm x L 3844mm. 2 sliding doors &amp; 4 roof vents</p> <p>6mm Polycarbonate UG1012H-PC6<br/>4mm Safety Glass UG1012H-TG4<br/>Shade Mesh UG1012H-SM5</p>   |
| <p><b>6X12 GREENHOUSES</b><br/>W 1972mm x L 3844mm. 1 door &amp; 4 roof vents</p> <p>6mm Polycarbonate PG0612H-PC6<br/>4mm Safety Glass PG0612H-TG4<br/>Shade Mesh PG0612H-SM5</p> | <p><b>8X12 GREENHOUSES</b><br/>W 2596mm x L 3844mm. 2 sliding doors &amp; 4 roof vents</p> <p>6mm Polycarbonate PG0812H-PC6<br/>4mm Safety Glass PG0812H-TG4<br/>Shade Mesh PG0812H-SM5</p> | <p><b>10X16 GREENHOUSES</b><br/>W 3220mm x L 5138mm. 2 sliding doors &amp; 6 roof vents</p> <p>6mm Polycarbonate UG1016H-PC6<br/>4mm Safety Glass UG1016H-TG4<br/>Shade Mesh UG1016H-SM5</p>   |
| <p><b>6X16 GREENHOUSES</b><br/>W 1972mm x L 5138mm. 1 door &amp; 6 roof vents</p> <p>6mm Polycarbonate PG0616H-PC6<br/>4mm Safety Glass PG0616H-TG4<br/>Shade Mesh PG0616H-SM5</p> | <p><b>8X16 GREENHOUSES</b><br/>W 2596mm x L 5138mm. 2 sliding doors &amp; 6 roof vents</p> <p>6mm Polycarbonate PG0816H-PC6<br/>4mm Safety Glass PG0816H-TG4<br/>Shade Mesh PG0816H-SM5</p> | <p><b>10X20 GREENHOUSES</b><br/>W 3220mm x L 6386mm. 2 sliding doors &amp; 8 roof vents</p> <p>6mm Polycarbonate UG1020H-PC6<br/>4mm Safety Glass UG1020H-TG4<br/>Shade Mesh UG1020H-SM5</p>   |
| <p><b>6X20 GREENHOUSES</b><br/>W 1972mm x L 6386mm. 1 door &amp; 8 roof vents</p> <p>6mm Polycarbonate PG0620H-PC6<br/>4mm Safety Glass PG0620H-TG4<br/>Shade Mesh PG0620H-SM5</p> | <p><b>8X20 GREENHOUSES</b><br/>W 2596mm x L 6386mm. 2 sliding doors &amp; 6 roof vents</p> <p>6mm Polycarbonate PG0820H-PC6<br/>4mm Safety Glass PG0820H-TG4<br/>Shade Mesh PG0820H-SM5</p> | <p><b>10X24 GREENHOUSES</b><br/>W 3220mm x L 7680mm. 2 sliding doors &amp; 8 roof vents</p> <p>6mm Polycarbonate UG1024H-PC6<br/>4mm Safety Glass UG1024H-TG4<br/>Shade Mesh UG1024H-SM5</p>   |
| <p><b>6X24 GREENHOUSES</b><br/>W 1972mm x L 7680mm. 1 door &amp; 8 roof vents</p> <p>6mm Polycarbonate PG0624H-PC6<br/>4mm Safety Glass PG0624H-TG4<br/>Shade Mesh PG0624H-SM5</p> | <p><b>8X24 GREENHOUSES</b><br/>W 2596mm x L 7680mm. 2 sliding doors &amp; 8 roof vents</p> <p>6mm Polycarbonate PG0824H-PC6<br/>4mm Safety Glass PG0824H-TG4<br/>Shade Mesh PG0824H-SM5</p> | <p><b>10X36 GREENHOUSES</b><br/>W 3220mm x L 11424mm. 2 sliding doors &amp; 12 roof vents</p> <p>6mm Polycarbonate UG1036H-PC6<br/>4mm Safety Glass UG1036H-TG4<br/>Shade Mesh UG1036H-SM5</p> |

Other sizes available. \*Please use mm dimension for base/foundation layout. Shade houses do not come with roof vents.

# UNIQUE FEATURES

WHY OUR GREENHOUSES STAND OUT FROM THE REST



## POLYCARBONATE

### 6mm Twinwall

Keeps the warmth in and the frosts out, protecting your plants during the colder months. Covered by a 10-yr warranty against breakage and panel blowouts!

The practical choice!



GRADE A TF 4  
AS/NZS 2208  
MADE TO AUSTRALIAN  
& NEW ZEALAND  
SAFETY STANDARDS



## SAFETY GLASS

### 4mm Toughened

Glass provides superior clarity and longevity and is now significantly stronger. Made to NZ safety standards, this glass can take almost anything you can throw at it. Includes 25yr glazing warranty.

Looks stunning!



## SHADE MESH

### Expanded Aluminium

The durable aluminium mesh screen blocks out the harsh sun (approx 50%) while providing adequate air-flow and ventilation to promote optimal plant growth.

Includes 15-yr warranty.



## OPENING VENTS

Adjustable opening roof vents provide adequate ventilation and temperature control. Automatic vent openers are also available, pictured below.



## DURABLE

Long lasting, powder coated finish in black with Dulux Powder coat. Looks great and requires minimal maintenance. Covered by Dulux non-fade warranty.



## ALUMINIUM FRAME

Heavy duty aluminium frame to provide years of trouble free service with minimal maintenance.



## BASE INCLUDED

All Winter Gardenz Greenhouses come with a strong aluminium base and have foundation mounting options to suit most applications.


## SUPERIOR DESIGN AND CONSTRUCTION

Winter Gardenz unique design delivers superior strength and durability. There is no other that comes close.



## RAINWATER GUTTER SYSTEM

Unique gutter system for collecting rain water.



## RUBBER BEADING

Unique rubber bead sealing system designed to hold the glazing panels firmly in place while adding significant strength to the overall structure.

## HOW TO CHOOSE THE GREENHOUSE FOR YOU?

STEP 1

Choose a frame width. 6ft, 8ft, or 10ft series. This also determines the height of Greenhouse.

STEP 2

Choose the length. 6ft, 8ft, 10ft or 12 ft right up to 36ft or longer. We can also do custom lengths.

STEP 3

Choose the Glazing. Toughened Safety Glass, Shade Mesh, or Insulating Polycarbonate

# ELITE SERIES GREENHOUSES

## TRADITIONAL STYLE - SUPERIOR QUALITY



WINTER GARDENZ ELITE RANGE is constructed using only the best materials and design systems to ensure structural integrity of the greenhouse, while also delivering elegance and functionality.




### RAIN HARVESTING

Gutters and downpipe connectors are supplied to enable water collection.



### FINIALS & CRESTINGS

These are optional and considered a lovely finish if you prefer the Victorian style of Greenhouse.



### OPENING VENTS

Temperature controlled vents open and close automatically to assist in maintaining the optimum temperature.



### FULL-HEIGHT DOORS



Hinged, double opening doors with **quality door handles** and locks.



### SHADE SYSTEM

The shade-cover system provides **protection for your plants** in the hotter months and is removable when not required.

Superior design & construction  
The unique design delivers superior **strength and durability**, with minimal maintenance required.



|  |   |
|--|---|
| <b>8X8 ELITE GREENHOUSE</b> UG0808-ES<br>W 2596 x L 2596 x H 2915mm<br>• Double opening, lockable doors, 2x vents  | <b>10X10 ELITE GREENHOUSE</b> UG1010-ES<br>W 3220 x L 3220 x H 3150mm<br>• Double opening, lockable doors, 2x vents   |
| <b>8X10 ELITE GREENHOUSE</b> UG0810-ES<br>W 2596 x L 3220 x H 2915mm<br>• Double opening, lockable doors, 2x vents | <b>10X12 ELITE GREENHOUSE</b> UG1012-ES<br>W 3220 x L 3844 x H 3150mm<br>• Double opening, lockable doors, 4x vents   |
| <b>8X12 ELITE GREENHOUSE</b> UG0812-ES<br>W 2596 x L 3844 x H 2915mm<br>• Double opening, lockable doors, 4x vents | <b>10X16 ELITE GREENHOUSE</b> UG1016-ES<br>W 3220 x L 5138 x H 3150mm<br>• Double opening, lockable doors, 6x vents   |
| <b>8X16 ELITE GREENHOUSE</b> UG0816-ES<br>W 2596 x L 5138 x H 2915mm<br>• Double opening, lockable doors, 6x vents | <b>10X20 ELITE GREENHOUSE</b> UG1020-ES<br>W 3220 x L 6386 x H 3150mm<br>• Double opening, lockable doors, 6x vents   |
| <b>8X20 ELITE GREENHOUSE</b> UG0820-ES<br>W 2596 x L 6386 x H 2915mm<br>• Double opening, lockable doors, 6x vents | <b>10X24 ELITE GREENHOUSE</b> UG1024-ES<br>W 3220 x L 7680 x H 3150mm<br>• Double opening, lockable doors, 8x vents   |
| <b>8X24 ELITE GREENHOUSE</b> UG0824-ES<br>W 2596 x L 7680 x H 2915mm<br>• Double opening, lockable doors, 8x vents | <b>10X36 ELITE GREENHOUSE</b> UG1036-ES<br>W 3220 x L 11424 x H 3150mm<br>• Double opening, lockable doors, 12x vents |

All Elite Greenhouses are supplied fully optioned and include the following:

- ✓ Double-hinged lockable doors
- ✓ 3 tier staging down one side of the greenhouse
- ✓ Shade cover system to protect plants in summer
- ✓ Glazed with 4mm toughened safety glass
- ✓ Temperature controlled vent openers
- ✓ Gutter system for rain catchment
- ✓ 25-year warranty

\*Custom sizes also available. Typical foundation plan is provided with each kitset. Brick wall shown is for illustration purposes only, it is not included in the kitset.

# MULTIZONE GREENHOUSES


## TWO GROWING ENVIRONMENTS IN ONE STRUCTURE



THE MULTIZONE GROWHOUSE is a unique and innovative product that offers the grower the versatility to grow in just about any climate.

### SMOOTH SLIDING DOORS

Smooth sliding doors which incorporate a stainless steel bearing roller system - runs effortlessly on its track for years.



### SHADE MESH


Expanded Aluminium  
The durable aluminium mesh screen blocks out the harsh sun (approx 50%) while providing adequate air-flow and ventilation to promote optimal plant growth.

### SHADE ZONE FOR HARDENING OFF

### HOT HOUSE ZONE FOR PROPOGATING

### OPENING VENTS


Temperature controlled vents open and close automatically to assist in maintaining the optimum temperature.



### POLYCARBONATE


#### 6mm Twinwall

Keeps the warmth in and the frosts out, protecting your plants during the colder months. Covered by a 10-yr warranty against breakage and panel blowouts!



### INTERNAL WALL

Internal partition wall with sliding doors, glazed with polycarbonate to retain warmth in the hothouse zone.



- ✓ **Adaptable design for all seasons**  
Both Hot-House and Shade-House, in one structure
- ✓ **Thermally efficient polycarbonate glazing in the Hot-House zone**  
Keeps the warmth in and the frosts out
- ✓ **Rigid aluminium shade panels in the Shade-House zone**  
Blocks out the harsh sun and wind. Also suitable for insect and pest protection
- ✓ **Strong and durable frame**  
Practical and tough, requiring minimal maintenance

Winter Gardenz MultiZone Greenhouses are designed to provide growers with the best of both worlds: an enclosed Hot-House with adjoining Shade-House, separated by an internal partition wall and sliding door, to create the two zones in one structure.

Our MultiZone Growhouses are constructed from the same durable frame as our popular award winning Greenhouse range, which provides a strong, practical and long lasting structure, requiring very little maintenance.

The Shade-House zone is designed to protect your plants from the heat of direct sun-light, damage from high wind, pests & insects, while still providing adequate ventilation and air movement in the hot months. It is perfect for light-sensitive plants such as orchids, azaleas and ferns, etc., but is more commonly used for 'Hardening Off' young, delicate plants that have been propagated in the Hot-House Zone.

The Hot-House zone is glazed with 6mm twin-wall polycarbonate and creates an ideal growing zone for plants and seedlings, especially when the outside temperature cools. This glazing provides superior thermal efficiency, keeping the warmth in and the frost out.

#### 10X12 MULTIZONE GROWHOUSE UG1012XH-MZ

W 3220 x L 3890 x H 3150mm

- Integrated 6ft hothouse with 6ft shade house
- 2x double sliding doors, internal partition wall, 2x vents

#### 10X20 MULTIZONE GROWHOUSE UG1020XH-MZ

W 3220 x L 6386 x H 3150mm

- Integrated 10ft hothouse with 10ft shade house
- 2x double sliding doors, internal partition wall, 4x vents

#### 10X16 MULTIZONE GROWHOUSE UG1016XH-MZ

W 3220 x L 5138 x H 3150mm

- Integrated 8ft hothouse with 8ft shade house
- 2x double sliding doors, internal partition wall, 4x vents

#### 10X24 MULTIZONE GROWHOUSE UG1024XH-MZ

W 3220 x L 7634 x H 3150mm

- Integrated 12ft hothouse with 12ft shade house
- 2x double sliding doors, internal partition wall, 4x vents

Unique and practical design, that looks great and provides a versatile and flexible approach to year-round growing.

\*Custom sizes and glass option available instead of polycarbonate.

# SHELVING, STAGING, AND ACCESSORIES

PRODUCTS TO MAKE THE MOST OF YOUR GREENHOUSE



## STANDING SHELVING

360mm depth, 2-tiers

- Aluminium construction with stainless steel fasteners
- Strong, durable and low maintenance.

Potting Bench 900mm wide PB0900

Potting Bench 1200mm wide PB1200



## WALL MOUNTED SHELVING


300mm depth

- Aluminium construction with stainless steel fasteners
- Attach at any height, easy to install.

Wall Shelving 900mm wide HS0900

Wall Shelving 1200mm wide HS1200

Wall Shelving 1500mm wide HS1500



## 3-TIER STAGING

150, 300 and 450 mm depth

- Maximise growing space


Staging 6ft Long ST06

Staging 8ft Long ST08

Staging 10ft Long ST10

Staging 12ft Long ST12

\*Single shelves also available in all sizes




## SHELVING BRACKETS

- Cost effective shelving
- Sold in pairs with fasteners

Shelving Brackets 150mm wide SB150

Shelving Brackets 300mm wide SB300

Shelving Brackets 450mm wide SB450



## HANGING BRACKETS

- Create vertical or horizontal string lines, or use for hanging plants

Hanging Brackets 6pk HBA6



## AUTO VENT OPENERS

- Ideal for Summer
- Opens when it's hot and closes when it's cold.
- Strong, durable and reliable.
- No power required, easy to install.

Auto Vent Opener AV01



## LOUVRE VENT KITS

- Designed to be installed into the side walls of the greenhouse. Allows cool air to enter, while hot and stuffy air ventilates through the roof.

Louvre Vent Kit (Poly) LVK3-PC6

Louvre Vent Kit (Retro Poly) LVK3-PC6-RETRO

Louvre Vent Kit (Glass) LVK3-TG4



## SHADE COVER KITS

- Protect plants from the sun's harsh rays (70% block-out).
- Reduces the inside temperature to prevent plants from overheating in the hot sun.
- Supported in position with a durable aluminium frame system.
- Various sizes available.



## MESH SCREEN DOOR

- Allow more air to get in. A screen door on your glass or polycarbonate greenhouse is another option to help with airflow inside while keeping pests out.

Mesh Screen Door SD1953

Top Door Extension L621-1900

(for 6ft models only)

# 12ft SERIES

THE LARGEST OF OUR RESIDENTIAL SERIES GREENHOUSES




Winter Gardenz' stunning new 12ft series is the largest in the residential greenhouse range, standing at nearly 4m tall (2.4m to the eave) and offering a spacious 3.8m width over a range of lengths. The 12ft series offers a significant step up from the 8ft/10ft Elite range, both in terms of height and interior living space.

Built to Winter Gardenz exacting standards, the 12ft series is constructed from durable, quality materials. The aluminium and glass structure is supported by a galvanised steel substructure, and all structural components are powder-coated with a quality Dulux

finish, to provide a low maintenance and easy-clean surface for years to come.

The 12ft series comes with one set of double-hinged lockable doors as standard, and both roof and louvre vents to provide adequate ventilation. Additional doors, vents, and shelving can also be added if required.

The 12ft series is a durable and elegant structure that will stand the test of time.



12ft STANDARD



12ft ELITE

|                                    |            |
|------------------------------------|------------|
| <b>12X16 GREENHOUSE</b>            | UG1216-TG4 |
| W 3844mm x L 5138mm x H 3900mm     |            |
| • Double opening, lockable doors   |            |
| • 8x roof vents, 4x louvre vents   |            |
| <b>12X20 GREENHOUSE</b>            | UG1220-TG4 |
| W 3844mm x L 6386mm x H 3900mm     |            |
| • Double opening, lockable doors   |            |
| • 8x roof vents, 4x louvre vents   |            |
| <b>12X24 GREENHOUSE</b>            | UG1224-TG4 |
| W 3844mm x L 7680mm x H 3900mm     |            |
| • Double opening, lockable doors   |            |
| • 12x roof vents, 6x louvre vents  |            |
| <b>12X30 GREENHOUSE</b>            | UG1230-TG4 |
| W 3844mm x L 9552mm x H 3900mm     |            |
| • Double opening, lockable doors   |            |
| • 12x roof vents, 6x louvre vents  |            |
| <b>12X40 GREENHOUSE</b>            | UG1240-TG4 |
| W 3844mm x L 12718mm x H 3900mm    |            |
| • Double opening, lockable doors   |            |
| • 16x roof vents, 8x louvre vents  |            |
| <b>12X50 GREENHOUSE</b>            | UG1250-TG4 |
| W 3844mm x L 15884mm x H 3900mm    |            |
| • Double opening, lockable doors   |            |
| • 20x roof vents, 10x louvre vents |            |

\*Other sizes available. Dimensions are approximate. Typical foundation plan is provided with kitset. Brick wall shown not included.

# CUSTOM & ARCHITECTURAL GREENHOUSES

DESIGNED AND BUILT TO SUIT YOUR REQUIREMENTS



## ARCHITECTURAL

Whether it's an aesthetically pleasing space to entertain and relax in, an effortless way to grow your plants year-round, or just a reason to spend more time outside, our architectural glasshouses allow our clients to enjoy one of life's most simple pleasures - outdoor living that isn't controlled by the weather.

Our architectural Glasshouses make a beautiful modern addition to lifestyle properties, commercial properties, and hospitality venues, providing the ideal space for entertaining and events, all but removing the boundary between people and the natural environment around them.

Our custom architectural glasshouses are bespoke structures made from the highest quality materials using highly innovative and engineered custom designs. From concept, design, and engineering, through to manufacture and construction, we deliver every step of the process with a clear dedication to quality and meticulous attention to detail.

We offer a full range of lengths, widths, and heights to suit each client's specific needs and spatial requirements. We can even alter the roof pitch to achieve optimum growing conditions, create an architectural statement, or simply match the aesthetics of your existing property.

## QUARANTINE AND RESEARCH

In addition to our Greenhouses being ideal for commercial growing operations, the unique design and construction also makes them a suitable structure for Biosecurity, Plant Containment, Test and Research Greenhouses.

Talk to the team at Winter Gardenz to discuss a tailored solution that will suit your requirements and provide years of trouble free service.



AVAILABLE FROM:



NZ 0800 946 837 | AUS 1800 757 610 | WINTERGARDENZ.CO.NZ