



Contents

The supply and installation process	2
Frequently asked questions: supply and installation	4
Choose your options	5
Essential range	6
Essential Sliding Window	8
Essential Double Hung Window	9
Essential Awning Window	10
Essential Stacker Door	11
Essential Sliding Door	12
Essential Hinged & French Door	13
Signature range	14
Signature Sliding Window	16
Signature Double Hung Window	17
Signature Awning Window	18
Signature Louvre Window	19
Signature Bi-fold Window	20
Signature Gas Strut Servery Window	21
Signature Bi-fold Door	22
Signature Stacker Door	23
Signature Sliding Door	24
Signature Hinged & French Door	25
Commercial range	26
Commercial Bi-fold Door	27
Commercial Sliding Door	28
Contact us	29

BetaView Aluminium Windows & Doors Pty Ltd
ABN: 12 145 436 577
Licence number: 234520C
Public liability Insurance policy number:
GS00148313 Cover: \$10,000,000
NSW Home Warranty insurance policy number:
BN00242257BWI-1
Australian Made member number: 5121
Australian Window Association (AWA)
member number: 360
Housing Industry Association (HIA)
member number: 575926

Email: sales@betaview.com.au

Website: betaview.com.au



BetaView provides expert window and door advice, quality custom manufacturing and professional installation, to help you easily improve the comfort and lifestyle of your home.

Why choose BetaView?

- › Supply and installation specialists since 1986.
- › Australian-made, fully tested designs.
- › Qualified and licensed installation team.
- › 10 Year Complete Peace of Mind Warranty.
This is industry leading and covers all aspects of your new windows or doors for a period of 10 years.
- › Accredited Australian Made Logo manufacturer, members of Housing Industry Association (HIA), Australian Window Association (AWA) and Master Builder's Association.



The supply and installation process

BetaView makes the process of updating your home with new doors and windows as easy and stress-free as possible.


We're here to help you through every step of the way, from obtaining an obligation free quotation, through to placing your order, measuring up, manufacture and installation. Customer satisfaction is our main priority so we do everything we can to ensure that you're completely happy, every step of the way.



Contact us on **1300 44 64 44** to find out how we can help.

“The process of dealing with BetaView was painless and trouble free. The installation was carried out with care, completed exactly as advised and we have not had one defect or leak. We are very happy with your product and the installation.”

Geraldine, Illawong



1. Get a free quotation

To request your free supply & installation quotation appointment, please call us on **1300 44 64 44**.

We'll ask a few questions to find out how we can help you, then book you in with a fixed appointment. You'll receive a confirmation and a reminder closer to the time, along with all the information required to get the most out of the appointment.



2. Place your order

Either order during the appointment, by contacting your salesperson, or by calling/emailing the office on **1300 44 64 44** or **sales@betaview.com.au**.

A 10% deposit is all we need to get your job underway.



3. Check measure

We will contact you to organise a suitable day and time to come out to your home where your installer will:

- > Measure and confirm job details (configuration/colour/specifications)
- > Book a mutually agreeable installation day and time
- > Fill in the project paperwork which details the description of work, payment structure and contract.

4. Manufacture

A progress payment of 80% is due as this is when we are ordering all the materials that are required.

Your products are custom made exactly to your desired configuration. All products are 100% Australian-made at BetaView's factory in Sydney.

5. Installation

On the arranged date, your products are professionally fitted by one of our installation teams. We remove and dispose of the old windows and doors and sweep or vacuum the floor.

Final payment of 10% is due on completion of the installation.

For your peace-of-mind, all new supply and installation products are covered by our 10 Year Complete Peace of Mind Warranty.

Frequently asked questions: supply and installation

“It has opened up our home and the light effect transforms the appearance of our family room. Dave was prompt and price competitive. We are also happy about the quality of the door. BetaView's builder who installed our 3 panel stacker door proved to be very knowledgeable and his workmanship was very good. They cleaned up and took away all the rubbish.”

Catherine, Putney

How do I arrange my free supply and installation quotation?

Our measure and quotation service is a free, in-home service for Supply & Installation customers. To request your appointment, please either fill out a contact form or call us on **1300 44 64 44**.

What is the lead-time?


We will provide you with an accurate estimation of this at the time of your quote. When you go ahead with your order, we will arrange and confirm a convenient date with you for check measure and installation.

What are the choices in colour?

Your quote includes any one of our standard colours. Please refer to the BetaView Colour Options sheet to make a selection. Custom colour options are available, please enquire for more details.

Do you include new timber architraves on the inside?

Yes, architraves are supplied in pre-coated prime (for painting) or maple (for staining). Please note we do not paint or stain architraves or reveals, this includes filling nail and screws holes and mitres, as that is part of the preparation required for painting.



Is there a warranty?

Yes. All new Supply and Installation products are covered by a seven-year warranty for defects of workmanship (for example, a leak) and three years for moving parts (such as wheels and locks).

Do you clean up after installation?

We remove and dispose of your old windows and doors and sweep or vacuum the floor. We aim to keep mess to a minimum during our work, but you may need to clean the windows or doors once installation is complete.

Is there anything not included?

Painting or staining of the timber reveals and architraves and removal and refitting of blinds, shutters or other internal window coverings are not included.

Do you have a showroom?

Yes – we have two showrooms. Our main showroom is at 15 Dale Street, Brookvale. We also have a smaller showroom at our factory location: 6/9 Kurrajong Road, St Marys. Either pay us a visit or call ahead on **1300 44 64 44** to discuss your quote in detail with a member of staff.

What are the payment methods?

We advise customers to use a direct bank transfer, where possible. Our bank account details are:

Name: BetaView Aluminium Windows and Doors Pty Ltd

Bank: National Australia Bank

Account Number: 185 118 901

BSB: 082 778

Choose your options

Glass

With an extensive range of window, door and glazing options available from BetaView you can achieve optimum energy efficiency, improved comfort and enhanced safety and security.

Windows

All window quotes include standard float glass. This is a basic type of glass suitable for most residential applications, however, it offers little insulation or protection from the sun. Louvre Windows include toughened glass as a safety requirement.

Doors

All door quotes include standard toughened glass. Toughened glass is treated during manufacture to ensure that if broken, it breaks into small and safe pieces.

Glass Options

Our recommended upgrade is normally SmartGlass. This is an optional extra that helps to reduce heat gain and heat loss. The result of this means your home will be cooler in summer and warmer in winter. Please see 'What is SmartGlass?'.

BetaView offer a number of glass types, including:

- ▶ **SmartGlass** – Cost effective and energy efficient
- ▶ **Toughened** – Good option for improved safety
- ▶ **Laminate** – Superior safety and security, UV reduction, 24% sound reduction over non-laminate single glazed glass
- ▶ **ComfortPlus** – Energy efficiency benefits of SmartGlass. It is also laminated so provides the above benefits of laminate glass as well.
- ▶ **Tinted** – Reduces solar heat gain and glare
- ▶ **Obscured** – Offers privacy and natural light
- ▶ **Double Glazing** – Premium, high performance glass

Please ask for further details if you would like to discuss including any of these options in your quote.

What is SmartGlass?

SmartGlass is a special type of glass that features a low emissivity (Low E) coating, providing greater comfort year-round. By reducing the amount of heat that passes through it, SmartGlass helps to stabilise the temperature of your home so that it's cooler in summer and warmer in winter. This can result in an improvement of up to 39% in insulation.

The SmartGlass range consists of four varieties, depending on the level of solar protection (heat gain and glare) required.

SP10 – Clear

Keeps out 50% of the heat transmitted by the sun. Retains 39% of heat in winter.

SP30 – Neutral

Keeps out 60% of the heat transmitted by the sun. Retains 39% of heat in winter.

SP35 – Grey

Keeps out 70% of the heat transmitted by the sun. Retains 39% of heat in winter.

Fly Screens & Security Screens

Many styles of windows and doors are designed to accommodate screens. At BetaView, we offer a range of screening options to suits various applications. This includes protection from insects, prevention of intrusions and compliance with bush fire attack level (BAL) ratings.

Flyscreens

Our standard flyscreens include a fibreglass mesh, suitable for keeping insects outside. This can be upgraded to either aluminium or stainless steel for added strength. Typically this is useful for compliance with Bushfire Attack Level (BAL) ratings but can also be a great option for those with pets or young children who require a more hardwearing solution.

Security Screens

If you're looking to improve the security of your home while ensuring good ventilation, a security screen is the natural choice. Offering all the benefits of fly screens, BetaView offer two options to keep your home safe.

- ▶ **Diamond Security Grille** Our standard security screen features the familiar criss-cross grille, offering ample protection from intruders.
- ▶ **Stainless steel security screen** Stylishly crafted from tough Marine Grade 316 Stainless Steel, this screen offers clarity of vision and enhanced security all in one.



Essential range

A great range of windows and doors for all domestic applications

Great designs, suitable for most domestic requirements. With cost effective componentry, the Essential range is designed to suit most budgets while offering ease-of-use, longevity and style – an ideal option for those seeking replacement windows and doors.


- › Excellent range of entry-level windows and doors
- › Suits those seeking great-quality, basic replacements
- › Fully tested to meet and exceed Australian Standards
- › Australian-made to your exact requirements





“It was an easy, stress free process. We are very happy with the quality of the windows and work completed. I have no hesitation in recommending BetaView Windows and Doors. Darren, Heathcote”

Essential Sliding Window



Key benefits

- › Versatile design that suits most rooms
- › Optional vent locks for secure ventilation
- › Long lasting, easy-to-operate design
- › Versatile and practical

Our best-selling window and an excellent all-rounder.

The Essential Sliding Window is a simple, efficient and highly popular design. Found in many homes across Sydney, this window is easy to operate and highly practical. Multiple configuration options ensure flexibility to suit various openings, while keyed vent locks allow for natural ventilation and security at the same time. Designed for smooth operation and durability, this is a great choice for almost any room in the home.

 Contact us on **1300 44 64 44** to find out how we can help.

Technical Data

Frame depth	52mm
Max. height	2700mm
Max. width	3600mm
Max. panel width	1200mm
Max. glass thickness	6.38mm (single glazed)
Max. bushfire attack level	BAL 40

Upgrades



Glass options SmartGlass available for improved comfort



Stainless steel security screen
Stylish, enhanced security screen



Bushfire Attack Compliance
Available up to and including BAL 40



Modify existing openings with our cut out/cut down service

Have you considered?

Signature Sliding Window
Turn to page 16 to compare.

Colour Options

Please refer to the BetaView Colour Options sheet




Essential Double Hung Window



Effective ventilation in a modern, easy-to-use design

Ideal for use in narrow openings and older style homes where space is limited, the Essential Double Hung Window enables excellent airflow. Making use of both top and bottom hung sashes, ventilation can be effortlessly controlled depending on the climate. An innovative, multi spring balance system ensures trouble-free operation and Santoprene seals offer superior year-round protection against the elements. The Essential Double Hung Window can also be coupled with fixed panels to fill larger openings.

 Contact us on **1300 44 64 44** to find out how we can help.

Technical Data

Frame depth	52mm
Max. height	2700mm
Max. width	3780mm
Max. panel width	1200mm
Max. glass thickness	6.38mm
Max. bushfire attack level	BAL 40

Upgrades



Glass options SmartGlass available for improved comfort



Stainless steel security screen
Stylish, enhanced security screen




Bushfire Attack Compliance
Available up to and including BAL 40



Modify existing openings with our cut out/cut down service

Key benefits

- › Modern design, easy-to-use
- › Great for ventilation
- › Optional key lock provides great security
- › Fly screen and security screen options available



Have you considered?

Signature Double Hung Window
Turn to page 17 to compare.

Colour Options

Please refer to the BetaView Colour Options sheet

Essential Awning Window



Key benefits

- › Superb option for increased safety and security
- › Optional key lock
- › Fly screen and security screen options available
- › Can help to reduce exterior noise
- › Suits upper storey windows

A great entry-level choice for safety and acoustic insulation

Featuring an easy-to-operate chain winder, the Essential Awning Window is a popular choice with BetaView customers. The opening can be restricted to meet safety requirements – useful for upper storey windows - and with no exposed sharp edges the design is an attractive option for those looking to reduce risks. Due to the top hinged styling, the Essential Awning Window can even offer some protection against light rain if left open for extended periods. When paired with an acoustic or laminate glass, the Awning Window can provide a good option for reducing exterior noise due to a tight seal when closed.

 Contact us on **1300 44 64 44** to find out how we can help.



Technical Data

Frame depth	52mm
Max. height	2700mm
Max. panel width	1200mm
Max. glass thickness	12.76mm (single glazed), 22mm (double glazed)
Max. bushfire attack level	BAL 40

Upgrades



Glass options Noise reducing laminate glass and SmartGlass available



Stainless steel security screen
Stylish, enhanced security screen



Bushfire Attack Compliance
Available up to and including BAL 40



Modify existing openings with our cut out/cut down service

Have you considered?

Signature Awning Window
Turn to page 18 to compare.

Colour Options

Please refer to the BetaView Colour Options sheet

Essential Stacker Door



Open up your home effortlessly by installing the Essential Stacker Door

An ideal choice for straightforward yet significant lifestyle improvement, the Essential Stacker Door is available in 3 and 6 panel options. The Euro-track roller system provides a smooth sliding movement while the low profile sill allows for easy access. The exterior screen track accommodates stacking screens across all sizes, giving complete control over security and insects.

Contact us on **1300 44 64 44** to find out how we can help.

Technical Data

Frame depth	140mm
Max. height	2440mm
Max. width	6240mm
Max. panel width	1350mm
Max. glass thickness	6.38mm
Max. bushfire attack level	BAL 40

Upgrades



Glass options SmartGlass available for improved comfort



Stainless steel security screen
Stylish, enhanced security screen



Bushfire Attack Compliance
Available up to and including BAL 40



Modify existing openings with our cut out/cut down service

Key benefits

- › Great for larger door openings
- › Easy to operate, multiple panels
- › Configured and custom-made for your home
- › Create or enlarge an existing opening using our cut-out and cut-down service




Have you considered?

Signature Stacker Door
Turn to page 23 to compare

Colour Options

Please refer to the BetaView Colour Options sheet

Essential Sliding Door



Key benefits

- › Good option for basic replacements
- › Easy to operate
- › Configured and custom-made for your home
- › Create or enlarge an existing opening using our cut-out and cut-down service

A versatile sliding door offering natural light and easy access in two, three or four panel designs.

A great choice for homeowners seeking a straightforward, modern solution. Offering contemporary styling, the Essential Sliding Door can be equipped with an optional security screen or fly screen for improved protection. Easy to operate and designed with longevity in mind, this great value door is an ideal choice for replacing old with new. As with all BetaView products, this door is made-to-measure and is available with professional installation.

 Contact us on **1300 44 64 44** to find out how we can help.

Technical Data

Frame depth	80mm
Max. height	2400mm
Max. width	5380mm (4 panel)
Max. panel width	1350mm
Max. glass thickness	6.38mm
Max. bushfire attack level	BAL 40

Upgrades



Glass options SmartGlass available for improved comfort



Stainless steel security screen
Stylish, enhanced security screen



Bushfire Attack Compliance
Available up to and including BAL 40



Modify existing openings with our cut out/cut down service

Have you considered?

Signature Sliding Door
Turn to page 24 to compare

Colour Options

Please refer to the BetaView Colour Options sheet



Essential Hinged & French Door



Traditional single and double entry doors in a modern, practical design.

The 100mm Essential Hinged & French Door is an efficient 1 or 2 panel entry door solution. Providing easy, light-filled access, this classic design opens towards either the interior or exterior of the home. Combined with a timeless yet contemporary look, this door makes an excellent alternative to sliding doors.

Contact us on **1300 44 64 44** to find out how we can help.

Technical Data

Frame depth	100mm
Max. height	2450mm
Max. width	1950mm
Max. panel width	1000mm
Max. glass thickness	12.38mm (single glazed), 22mm (double glazed)
Max. bushfire attack level	BAL 40

Upgrades



Glass options SmartGlass available for improved comfort



Stainless steel security screen
Stylish, enhanced security screen



Bushfire Attack Compliance
Available up to and including BAL 40



Modify existing openings with our cut out/cut down service

Key benefits

- › Ideal for high traffic access points
- › Strong and secure design
- › Fly and security screen options available



Have you considered?

Signature Hinged & French Door
Turn to page 25 to compare

Colour Options

Please refer to the BetaView Colour Options sheet

Signature range

Enhanced design capabilities and a deeper frame for premium styling

Step-up to the Signature range for premium styling, a wider selection of products and the ability to effectively fill larger openings. Those looking to upgrade, renovate or build new will find inspiring lifestyle options in this range of modern and impressive designs.

- › More versatile and able to fill larger openings
- › Suitable for those looking to achieve improved lifestyle options
- › Premium styling and greater framer depth
- › Ideal for upgrades, renovations and new-builds
- › Enhanced performance and capabilities





“

We chose BetaView products and services based on both pricing and professionalism. We contacted six different companies to have a good idea of the market. BetaView were the best value and the most professional.

Florence, Malabar

”

Signature Sliding Window



Key benefits

- › Premium Signature frame
- › Larger panels are available
- › Improved performance and security
- › Versatile and practical
- › Double glazing available

Premium features, enhanced design and all-round improved performance

The Signature Sliding Window is an architecturally considered design, optimised for use in homes. Easy to operate with a contemporary look, take advantage of the larger Signature panel size limits by filling openings with more glass and less frame. The Signature Sliding Window is available in a 67mm frame. The 100mm window is available with a sliding servery screen, great for entertainment areas.

 Contact us on **1300 44 64 44** to find out how we can help.

Technical Data

Frame depth	67mm or 100mm
Max. height	2700mm
Max. width	4030mm
Max. panel width	1350mm
Max. glass thickness	12.76mm (single glazed), 18mm (double glazed)
Max. bushfire attack level	BAL 40

Upgrades



Glass options Smart Glass and double glazing available



Servery Window Available as 100mm frame with sliding screen



Stainless steel security screen Stylish, enhanced security screen



Bushfire Attack Compliance Available up to and including BAL 40

Have you considered?


Signature Double Hung Window
Turn to page 17 to compare.

Colour Options

Please refer to the BetaView Colour Options sheet



Signature Double Hung Window



Key benefits

- › Suitable for areas with limited space
- › Great for ventilation and improved views
- › Designed to fill larger openings

A stylish way to control ventilation and improve the view

The Signature Double Hung Window has been developed to offer greater design capabilities and a superior architectural look. Featuring a deep 100mm frame, style, great ventilation and simple operation are at the heart of the offering. Larger panel sizes are achievable, with the option of filling taller and wider openings, while minimising interruption to views. Working seamlessly alongside other products in the range, the Signature Double Hung Window is a practical choice, well suited to Sydney's climate.

Contact us on **1300 44 64 44** to find out how we can help.

Technical Data

Frame depth	100mm
Max. height	2700mm
Max. width	4000mm
Max. panel width	2000mm
Max. glass thickness	12.76mm (single glazed), 18mm (double glazed)
Max. bushfire attack level	BAL 40

Upgrades



Glass options Smart Glass and acoustic glazing available



Stainless steel security screen
Stylish, enhanced security screen



Bushfire Attack Compliance
Available up to and including BAL 40



Modify existing openings with our cut out/cut down service

Have you considered?

Signature Sliding Window
Turn to page 16 to compare.

Colour Options

Please refer to the BetaView Colour Options sheet



Signature Awning Window



Key benefits

- › Bigger panels for less interrupted views
- › Increased safety and security
- › Fly screen and security screen options available
- › Can help to reduce exterior noise
- › Suits upper storey windows

Enjoy clear views and greater ventilation with larger panels

The Signature Awning Window combines timeless design with the ability to fill larger openings for less interrupted views. The concealed heavy-duty bar comfortably deals with larger sashes and stainless steel winders ensure effortless operation at all scales. True to the traditional benefits of the style, the Signature Awning Window offers protection from light wind and rain – useful for those warmer days with changeable weather. Building on the Essential range version, thicker 100mm frames add to the ability to reduce exterior noise when closed. Fit fly or security screens for added protection and comfort.

 Contact us on **1300 44 64 44** to find out how we can help.

Technical Data

Frame depth	100mm
Max. height	2700mm
Max. panel width	2000mm
Max. glass thickness	12.76mm (single glazed), 22 mm (double glazed)
Max. bushfire attack level	BAL 40

Upgrades



Glass options Noise reducing laminate glass and SmartGlass available



Stainless steel security screen
Stylish, enhanced security screen



Bushfire Attack Compliance
Available up to and including BAL 40



Modify existing openings with our cut out/cut down service

Have you considered?

Signature Double Hung Window
Turn to page 17 to compare.

Colour Options

Please refer to the BetaView Colour Options sheet



Signature Louvre Window



Key benefits

- › Best choice for ventilation
- › Can be coupled with fixed panels and French doors
- › Excellent design feature
- › Dozens of configurations available
- › Fly and security screen options available

The best choice for adaptability, style, ventilation and light

The Signature Louvre Window offers superior aesthetic design, bringing ample light along with excellent ventilation. Often paired with fixed panels as well as French doors, this is an adaptable design that can be used in numerous applications. From floor-to-ceiling configurations to hi-lite placements for added ventilation, the Signature Louvre Window can be adapted to suit a wide range of architectural demands. This is a practical choice for homeowners seeking a stylish and secure way to ventilate a property while offering protection against light wind and rain. Screening can be applied for added defence.

 Contact us on **1300 44 64 44** to find out how we can help.

Technical Data

Frame depth	125mm
Max. height	2400mm
Max. width	4000mm
Max. panel width	1000mm
Max. glass thickness	6mm
Max. bushfire attack level	BAL 19

Upgrades



Glass options SmartGlass available for improved comfort



Stainless steel security screen Stylish, enhanced security screen



Coupling Combine with a door or fixed panels



Modify existing openings with our cut out/cut down service

Have you considered?

Signature Hinged & French Doors?
Turn to page 25 to compare.

Colour Options

Please refer to the BetaView Colour Options sheet



Signature Bi-fold Window



Key benefits

- › Creates a full width opening
- › Suits entertainment and serving areas
- › Excellent design feature
- › Configurations to open left, right or both sides

Create the ultimate entertaining area with an impressive design

If you are looking for an impressive window for kitchens and entertainment areas, look no further than the Signature Bi-fold Window. Revealing to full-width when in the open position, this design can be configured to open either left or right, or both sides. Smooth movement is provided by a high performance roller system, giving an effortless gliding action – an advantage noticed where openings are positioned over worktops or sink areas. Panel widths can reach up to 900mm, allowing for least interruption of views, where possible. Combine with a Bi-fold Door where a kitchen leads to a deck or backyard for the ultimate entertaining area.

 Contact us on **1300 44 64 44** to find out how we can help.



Technical Data

Frame depth	100mm
Max. height	2000mm
Max. panel width	900mm
Max. glass thickness	12.38mm (single glazed), 22mm (double glazed)
Max. bushfire attack level	BAL 40

Upgrades



Glass options SmartGlass available for improved comfort



Bushfire Attack Compliance
Available up to and including BAL 40



Modify existing openings with our cut out/cut down service

Have you considered?

Signature Sliding Window?
Turn to page 16 to compare.

Colour Options

Please refer to the BetaView Colour Options sheet

Signature Gas Strut Served Window



Key benefits

- › Great for entertainment areas
- › Opening panel pushes all the way out to 90 degrees
- › Unobstructed views both in the open and closed positions
- › Maximum ventilation

Create the ultimate entertaining area with an impressive design

The Gas Strut Served Window is the latest development in aluminium window technology. Opening with a slight push, the gas struts take over and the opening panel moves all the way to 90 degrees. In addition to having an unobstructed view when in the open position, you also have an unobstructed view when in the closed position, because there are no thick vertical frames obstructing the view like your traditional windows do. The Gas Strut Served Window is available with or without a sill. Please note that there is no weather rating if the no sill option is taken.

Contact us on **1300 44 64 44** to find out how we can help.

Technical Data

Frame depth	100mm
Max. height	1500mm
Max. width	2400mm
Max. glass thickness	12.76mm (single glazed), 18mm (double glazed)
Max. bushfire attack level	BAL 40

Upgrades



Glass options Smart Glass and acoustic glazing available



Stainless steel security screen
Stylish, enhanced security screen



Bushfire Attack Compliance
Available up to and including BAL 40

Have you considered?


Signature Bi-fold Window?
Turn to page 20 to compare.

Colour Options

Please refer to the BetaView Colour Options sheet



Signature Bi-fold Door



Key benefits

- › Ideal lifestyle choice for the home
- › Available with multiple panels to suit various applications
- › Lead door offers single panel access for everyday use
- › Great upgrade from a sliding/stacking door

Create stylish living spaces between the interior and exterior of your home

The 100mm Signature Bi-fold Door is the ideal lifestyle design. The contemporary styling and gliding panels create an impressive feature in key living areas. Perfect for homeowners who love to entertain, the useful single panel lead door (available in three, five and seven panel configurations) also offers a practical entry point for everyday access to the outdoors. A tried and tested design, the Signature Bi-fold Door offers secure locking mechanisms for all panels as well as high performance rollers for effortless operation.

 Contact us on **1300 44 64 44** to find out how we can help.

Technical Data

Frame depth	100mm
Max. height	2450mm
Max. width	6500mm
Max. panel width	840mm
Max. glass thickness	12.38mm (single glazed), 24mm (double glazed)
Max. bushfire attack level	BAL 40

Upgrades



Glass options Smart Glass for improved comfort



Bushfire Attack Compliance
Available up to and including BAL 40



Modify existing openings with our cut out/cut down service

Have you considered?

Signature Stacker Door
Turn to page 23 to compare

Colour Options

Please refer to the BetaView Colour Options sheet



Signature Stacker Door



Key benefits

- › Suitable for larger openings
- › Excellent lifestyle improvement choice
- › Multiple panels and configurations available
- › Create or enlarge an existing opening using our cut-out/cut-down service

Reveal the outdoors with a wide multi-panel opening

Designed to cover widths of up to 6.2 metres with the ability to reach 2.4 metres in height, the Signature Stacker Door really opens up the possibilities of your home. Commonly used in key living areas, the modern design complements a wide variety of architectural styles. Achieve a luxury indoor/outdoor lifestyle by taking advantage of the numerous configuration options available. The Signature Stacker features high quality componentry designed for smooth, long-term and effortless operation at any size. Fly screen and Stainless Steel Security Screen upgrades available.

Contact us on **1300 44 64 44** to find out how we can help.

Technical Data

Frame depth	166mm
Max. height	2700mm
Max. width	6246mm
Max. panel width	1350mm
Max. glass thickness	12.76mm (single glazed), 18mm (double glazed)
Max. bushfire attack level	BAL 40

Upgrades



Glass options Smart Glass and double glazing available



Stainless steel security screen
Stylish, enhanced security screen



Bushfire Attack Compliance
Available up to and including BAL 40



Modify existing openings with our cut out/cut down service

Have you considered?


Signature Bi-fold Door
Turn to page 22 to compare

Colour Options

Please refer to the BetaView Colour Options sheet



Signature Sliding Door



Key benefits

- › Efficient solution for taller openings
- › Premium 100mm Signature frame
- › Great upgrade from standard residential products
- › Custom-made and installed for your home

A superior two-panel design to fill taller openings with just two panels

Featuring a wider 100mm frame, the Signature Sliding Door builds on the design of the Essential Sliding Door. Offering superior weather performance and the option of double-glazing, the design is also capable of filling taller openings up to 2.7 meters high. Including premium componentry for an improved look and feel, the Signature Sliding Door compliments the styling of other windows and doors across the range.

Contact us on **1300 44 64 44** to find out how we can help.



Technical Data

Frame depth	100mm
Max. height	2700mm
Max. width	2540mm
Max. panel width	1350mm
Max. glass thickness	12.76mm (single glazed), 18mm (double glazed)
Max. bushfire attack level	BAL 40

Upgrades



Glass options Smart Glass, Single/Double Glazing



Stainless steel security screen Stylish, enhanced security screen



Bushfire Attack Compliance Available up to and including BAL 40



Modify existing openings with our cut out/cut down service

Have you considered?

Commercial Sliding Door
Turn to page 28 to compare

Colour Options

Please refer to the BetaView Colour Options sheet

Signature Hinged & French Door



Traditional single and double entry doors in a modern, practical design.

The 125mm Essential Hinged & French Door is a classic and versatile design. Often paired with Signature Louvre Windows, this is a great option for creating stylish, practical and light filled access points to the home. Other options include hi lites, side lites and fixed panels to maximise light while filling larger openings. Parliament hinges are also available to allow the doors to open to a full 180 degrees, increasing the opening size and allowing full ventilation.

Contact us on **1300 44 64 44** to find out how we can help.

Key benefits

- › Ideal for high traffic access
- › Accommodates fly screens and security screens
- › Can be coupled with fixed panels and louvres
- › Configured and custom-made for your home



Technical Data

Frame depth	100mm
Max. height	2450mm
Max. width	1936mm
Max. panel width	1000mm
Max. glass thickness	12.38mm (single glazed), 22mm (double glazed)
Max. bushfire attack level	BAL 40

Upgrades



Glass options Double glazing and SmartGlass available for improved comfort



Stainless steel security screen Stylish, enhanced security screen



Bushfire Attack Compliance Available up to and including BAL 40



Modify existing openings with our cut out/cut down service

Have you considered?

Signature Sliding Door
Turn to page 24 to compare

Colour Options

Please refer to the BetaView Colour Options sheet

Commercial range


Designed to meet the demands of the largest openings



Intended to cater for the largest opening sizes, the Commercial range is an excellent choice for those who require top grade capabilities when it comes to design and configuration.

- › Suitable for very wide and/or tall openings
- › Great choice for lifestyle-focussed structural alterations
- › Superior engineering allows for oversized panels
- › Styling compliments products across the Signature range

Commercial Bi-fold Door



Key benefits

- › Ideal solution for very wide openings
- › Premium design and engineering
- › Custom-made for large openings
- › Create or enlarge an existing opening using our cut-out and cut-down service

Enjoy an impressive, high performance design in oversized openings

Experience freedom in design with the Commercial Bi-fold Door. Recommended for filling oversized openings up to 8m wide. Enjoy architectural styling, superior security – from a 4-point lever compression lock – and smooth sliding action with precision-engineered roller system. Featuring premium componentry and heavier construction, this is a highly versatile door available in a range of configurations to suit your architecturally inspired residential application.

Contact us on **1300 44 64 44** to find out how we can help.

Technical Data

Frame depth	100mm
Max. height	3100mm
Max. width	6480mm
Max. panel width	1000mm
Max. glass thickness	13.52mm (single glazed), 24mm (double glazed)
Max. bushfire attack level	BAL 40

Upgrades



Glass options Smart Glass and double glazing available



Bushfire Attack Compliance
Available up to and including BAL 40



Modify existing openings with our cut out/cut down service

Have you considered?

Commercial Sliding Door
Turn to page 28 to compare

Colour Options

Please refer to the BetaView Colour Options sheet



Commercial Sliding Door



Key benefits

- › Fill large openings with only two panels
- › Capable of overcoming demanding designs
- › Commercial-grade door designed for residential application
- › Create or enlarge an existing opening using our cut-out/cut-down service

Fill large openings with just two panels to make the most of your views

Offering increased maximum width and height, the Commercial Sliding Door provides a solution to architectural design challenges. Aesthetically aligned with other BetaView products, the physical enhancements over Sliding Doors in the Essential and Signature ranges allow for greater panel sizes as well as the ability to fill larger openings. Along with high performance weather protection, the Commercial Sliding Door meets the most demanding of residential applications.

 Contact us on **1300 44 64 44** to find out how we can help.



Technical information

Further details available on request

Frame depth	100mm
Max. height	3100mm
Max. width	3600mm
Max. panel width	1800mm
Max. glass thickness	10.76mm (single glazed), 26mm (double glazed)
Max. bushfire attack level	BAL 40

Upgrades



Glass options Smart Glass, Single/Double Glazing



Bushfire Attack Compliance
Available up to and including BAL 40



Modify existing openings with our cut out/cut down service

Have you considered?

Commercial Bi-fold Door
Turn to page 27 to compare

Colour Options

Please refer to the BetaView Colour Options sheet

Contact us

We have two convenient Sydney showrooms. Visit our award winning showroom in Brookvale or our smaller factory showroom in St Marys where our helpful staff will assist you in making the right choice for your project.




Contact us on **1300 44 64 44** to find out how we can help.

BetaView Aluminium Windows & Doors – Showroom

15 Dale Street
Brookvale, NSW

Phone: 1300 44 64 44

Email: sales@betaview.com.au




BetaView Aluminium Windows & Doors – Factory/Showroom

Unit 6/9 Kurrajong Road
St Marys, NSW

Phone: 1300 44 64 44

Email: sales@betaview.com.au



Why choose BetaView?

BetaView provides expert window and door advice, quality custom manufacturing and professional installation to help you easily improve the comfort and lifestyle of your home. We make the process of ordering the ideal product as easy and stress-free as possible.

Need a quote?

BetaView offer a FREE in-home consultation for Supply & Install customers. To book your appointment and get a quote call 1300 44 64 44 now!

How to move ahead...

If you already have a quote and wish to proceed, simply call us on 1300 44 64 44. Supply & Install orders require a 10% deposit to get the job underway. We will then arrange a Check Measure at a convenient time for you.

Main Showroom

15 Dale Street, Brookvale
Phone: 9905 1317

Factory Showroom

6/9 Kurrajong Road, St Marys
Phone: 9623 5611

General enquiries

Phone: 1300 44 64 44
sales@betaview.com.au
BetaView.com.au



**Master
Builders
Association**
MEMBER
MASTER BUILDER, BETTER BUILDER