2023 AUTUMN / WINTER COLLECTION

VISIT US » WWW.BRITEDECKING.COM.AU FREE FIXINGS WITH EVERY PURCHASE





WHY BRITEDECK[™]

For over 20 years, BriteDeck has set the standard for eco-friendly, low maintenance alternatives to wood decking. Available in a range of stunning colours and textures, our Composite materials have been engineered and certified to withstand the high UV, heat and harshness of the Australian sun.

Brite Composites provide all the benefits of traditional wood and none of the hassles, no rot, no termites and no need for oiling or painting - all backed by an industry-leading warranty. Our products are crafted from high-grade recycled plastics and reclaimed wood,



making Brite Composite Solutions the smart and sustainable choice for your outdoor living space.

Scan Here The Britedeck Experience



What is composite decking?

The two biggest challenges for any deck is structural integrity and the ability to withstand the elements. BriteDeck is a mixture of recycled wood fibre and polymers. This makes a product which is durable, long lasting, maintenance-free and has the warm look and feel of timber. It is a combination of the best features of both wood and polymer.

Where can I use BriteDeck[™]?

BriteDeck Composites have been tested and certified by Australia's leading building agencies and are a perfect choice for any residential or commercial property.

BriteDeck has a textured surface and a P5 slip rating. It's not affected by salt or the sea air and it's perfect for marinas, boardwalks, jetties, swimming pools and spas.

With its unique, hidden fastener system, BriteDeck is flexible and will not warp with moisture or extreme weather.

You can use BriteDeck anywhere you would have previously used timber, subject to Local Government regulations and necessary approvals.

How do I maintain my BriteDeck[™]?

A regular sweep and a wash with cold water and sugar soap is all you need to maintain your deck. Diluted household degreaser can also be used to remove no stubborn stains. There's no oiling, staining, sealing, sanding or painting. Ever.

	Dual Side Boa		Traditional / Classic Boards	ASA / Premium Boards	
Deckboards Comparison	Urban Eco	HD Pro	Solid XS	NextGen Titanium	
Surface Texture					
Colour Options					
Colour Tones	Mono	Duo-Tone	Duo-Tone	Duo-Tone	
Board Dimensions	Length:: 5.4 m Dimension: 138 x 22.5 mm Weight: 15 kg	Length:: 5.4 m Dimension: 138 x 23 mm Weight: 20 kg	Length:: 5.4 m Dimension: 150 x 25 mm Weight: 25 kg	Length:: 5.8 m Dimension: 140 x 24 mm or 210 x 24mm Weight: 16 kg (140mm) 22kg (210mm)	
Edge Profile	Grooved	Grooved	Grooved	Grooved	
Fixing Method	BriteDeck T2 Clip	BriteDeck T2 Clip	BriteDeck T2 Clip	BriteDeck T2 Clip or L1 Clip (for BAL29)	
Warranty	10 YEARS WARRANTY	25 YEARS WARRANTY	15 YEARS WARRANTY	30 YEARS WARRANTY	
	Page 4	Page 6	Page 8	Page 10	

URBAN ECO DUAL-SIDED COLOURS



Antique and Beach Sand



Teak and Walnut



Charcoal Grey and Mountain Ash



URBAN ECO

Flip it your way with our stunning double sided Urban Eco collection.

Each board features a stunning woodgrain finish on either side, giving you the flexibility to transform your outdoor space for any occassion.

Crafted from wood fibres and sustainably sourced materials, each board is shielded by a dual capped system with anti-slip technology and a stunning woodgrain finish.

The lightweight internal core allows for easy handling and makes it an ideal for small scale builds and inner city renovations.

URBAN ECO	Length (m)	Dimensions (mm)	Boards (per 10SQM)	Residential span (max)	Commercial span (max)	Slip rating	Weight (kg)
Board	5.4	138 x 22.5	14	350	300	P4/R10	15
Fascia	2.7	142 x 13	NA	NA	NA	NA	6
Edging Board	5.4	138 x 22.5	NA	NA	NA	NA	15

Australia's Most Versatile Designer Board

Advantages of Urban Eco

- Double sided
- Versatile colour choices
- Stunning wood grain finishes
- Does not absorb heat, easy to walk on
- Anti-aging and UV resistant
- Easy to install, simple to maintain
- Lightweight

HD PRO DUAL-SIDED COLOURS



Light Grey and Slate Grey



Merbau and Spotted Gum



Antique 2 and Smoke White AVAILABLE IN STANDARD



Limewash and Merbau IPIL



HD PRO

Build your dream deck with Australia's most durable and low-maintenance board. Made from a blend of sustainable wood fibres and recycled plastics, the High Density series features a Double-UV shield and a R11/P5 slip rating, providing unmatched performance under intense heat and wet weather.

The HD Pro has a unique colour on each face and a gorgeous woodgrain finish - simply flip it over to redefine the look and feel of your outdoor living space. Spanning a massive 5.4m in length, each board is crafted with easy living in mind: Anti-slip, no rotting, no warping and no need for sealing or painting.

The reversible HD Pro is also available with BAL-29 Bushfire Resistant technology, making it the most affordable weather resistant material on the market.

HD PRO	Length (m)	Dimensions (mm)	Boards (per 10SQM)	Residential span (max)	Commercial span (max)	Slip rating	Fire properties	Weight (kg)
HD Pro	5.4	138 x 23	14	450	400	P5/R11	STD or BAL29	20
Fascia	2.7	138 x 15	NA	NA	NA	NA	STD or BAL29	7
Edge Board	5.4	138 x 23	NA	NA	NA	NA	STD or BAL29	20

High Density Dual Decking

Advantages of HD Pro

- Available in HD Pro and HD Pro BAL Fire Rated Decking
- Double sided solid board versatile colour choices
- Double UV protection extra high resistance to sun related damage
- Stunning wood grain finishes
- Does not absorb heat, easy to walk on
- Easy to install, simple to maintain

SOLID XS COLOUR OPTIONS

Available in Wood Grain or Plain Sanded



Cape Grey

Silver Ash

Grey Gum

Cedar Wood



SOLID XS

The Solid XS range introduces designer aesthetics with advanced WPC technology and an ultra-thick profile engineered to withstand higher concentrated loads and Australia's unique climate. These boards utilise WPC technology for a superior deck that is low-maintenance and a durable alternative to traditional wood decking.

This sleek design boasts a massive 150mm profile and comes in a variety of elegant, earthly colours. Available in a stunning woodgrain or ultra durable heavy brush finish.

Best of all, every XS150 composite board is backed by a 15-year warranty against cracking, warping and splitting.

SOLID XS	Length (m)	Dimensions (mm)	Boards (per 10SQM)	Residential span (max)	Commercial span (max)	Slip rating	Fire properties	Weight (kg)
Board	5.4	150 x 25	13	450	400	P5/R11	≥8.0 Kw/m ²	25
Fascia	2.9	146 x 10.5	NA	NA	NA	NA	≥8.0 Kw/m²	6

Extra Strong

WPC Technology

Advantages of Solid XS

- Versatile colour choices
- Choice of woodgrain or heavy brush finish
- Does not absorb heat, easy to walk on
- Easy to install, simple to maintain
- Massive 25mm thickness
- Extra durable

NEXTGEN TITANIUM 140mm COLOUR OPTIONS

Available in Wood Grain or Plain Sanded

Fossi



Arabica



Osage

AVAILABLE IN *CUSTOM ORDER

Pacific Merbau

Graphite

Tawnv

AVAILABLE IN *CUSTOM ORDER



Pecan Silver Grev AVAILABLE IN *CUSTOM ORDER AVAILABLE IN *CUSTOM ORDER







Our NextGen Titanium is quite simply the most exquisite weather resistant decking material in the world. Built upon a PVC composite core, our Titanium collection is wrapped in a double protective layer of ASA, a material pioneered by the automobile industry to withstand harsh sun and UV exposure. The result is an outdoor material with unparalleled protection against weathering, stain and fading.

Available in a gorgeous woodgrain or a classical sanded finish, each board is BAL-29 certified and unique in tone and texture, creating a brilliant visual experience that will redefine any outdoor space.

Best of all, our Titanium range is backed by an incredible 30year warranty. Available in 140 mm profile.

DESGINER 140mm	Length (m)	Dimensions (mm)	Boards (per 10SQM)	Residential span (max)	Commercial span (max)	Slip rating	Fire properties	Weight (kg)
Board	5.8	140 x 24	13	450	450	P5/R11	BAL29	16
Fascia	2.9	150 x 12	NA	NA	NA	NA	BAL29	6
Edge Board	5.8	140 x 24	NA	NA	NA	NA	BAL29	16

AVAILABLE IN *CUSTOM ORDE

ALFRESCO LUXURY FOR LIFE

Advantages of NextGen Designer BAL29

- It's the best weather-resistant resin available
- It can be built low to the ground
- ASA is incredibly strong and doesn't stain
- ASA looks more like natural wood
- Simple to maintain
- Does not absorb heat, easy to walk on
- BAL-29 Certified
- Designer colour choices

NEXTGEN TITANIUM 210mm COLOUR OPTIONS

Available in Wood Grain



Silver Grey

Arabica

Dau Willow Oak

Pacific Merbau



Osage





Our NextGen Titanium 210mm is the widest and most durable Fire Rated composite material on the market.

Combining a non-porous composite core with our industry leading ASA anti-weathering shield, the Ultra 210mm profile provides more coverage per board, drastically cutting down installation time.

Our colour range is a direct response to the aesthetic needs of architects and designers - expertly co-extruded onto a stunning 210mm profile designed for a streamlined installation experience.

With BAL 29 bushfire resistant technology and an industry leading R5/P11 surface, this is the ultimate weatherproof material for maximum safety and the ultimate designer finish.

ULTRA 210mm	Length (m)	Dimensions (mm)	Boards (per 10SQM)	Residential span (max)	Commercial span (max)	Slip rating	Fire properties	Weight (kg)
Board	5.8	210 x 24	9	450	450	P5/R11	BAL 29	22
Fascia	2.9	150 x 12	NA	NA	NA	NA	BAL 29	6

ULTRA-WIDE WEATHERPROOF DECKING

Advantages of NextGen Ultra BAL29

- Extra Wide profile speeds up installation time
- The best weather-resistant resin available
- It can be built low to the ground
- ASA is incredibly strong and doesn't stain
- ASA looks more like natural wood
- Simple to maintain
- Does not absorb heat, easy to walk on
- BAL-29 Certified
- Designer colour choices

Before installing:

Please consult and comply with local building codes and special requirements or restrictions when undertaking an outdoor decking installation. Please consult a structural engineer before placing significant loading such as a pool spa on your deck.

Installation Guide:

A comprehensive installation guide will be sent to you via email once your order has been placed. This document covers all aspects of designing and installing your

14 deck, including common layouts, joist span, clearance requirements and an expansion and contraction table. It is important to read and understand the guidelines in their entirety before starting the project.

Tools:

Thousands of Aussie DIY'ers can attest to how guick and easy BriteDeck is to install. Our concealed fastening system makes installing up to 70% faster than timber, saving you time and money. Standard woodworking tools (drills, saws, sanders, tape measure, level, cordless screwdriver with bits, countersink bit, etc.) and self-protective equipment are all you need to get started.



Alluminium-based Modular Subfloor System


Innovative and robust design guarantees longevity, strength and quality. Can accomodate a range of surfaces and can support composite decking products.



Place BriteDeck Starter Clip on the edge of every joist

Place Deck Clip on every joist





Secure and screw each clips, working on each row and towards the edge of your property

face fix





INSTALLATION PROCESS



For boards over 4m long, place Anti-Creep Clip at the centre joist - 1 every joist



Breaker Board Installation: With boards hanging over the double joist, define a straight line and cut the boards 3 to 5mm from the edge of the joist. Slot in breaker board and secure via a 45 degree screw or



Finish your deck with matching Fascia boards. Face-fit directly into the joist. NEVER directly into the deck board

All fixtures you require for wood or metal frames will be supplied free of charge.





CONTACT US 1300 481 664



HEAD OFFICE

Brite Decking (Pty) Ltd Encompass Business Park D3/101 Rookwood Road Yagoona NSW 2199 ABN: 68 617 566 837 Phone: 1300 481 664 Email: sales@britedecking.com.au

DISTRIBUTION POINTS

New South Wales (Sydney) Swift Transport Enfield Intermodal Logistics Centre Gate E1 1 Mainline Road Strathfield South NSW, 2136

Victoria (Melbourne) Metro Freight Lines 75-79 Cooper Street, Campbellfield VIC 3061

Queensland (Brisbane, Gold Coast) Fetch Transport 2/260 Musgrave Road Coopers Plains QLD 4108

South Australia (Port Adelaide) 13 Francis Street Port Adelaide SA 5015

