



PRODUCT CATALOGUE



Phone: (07) 3254 3046

Email: info@magnifica-luce.com.au


Website: www.magnifica-luce.com.au

Address: 482 Brunswick St, Fortitude Valley, QLD 4006

Instagram: [magnificaluce.lighting](https://www.instagram.com/magnificaluce.lighting)

INNOVATION TRANSFORMS LIFE

INNOVATION SHAPES FUTURE



Our Mission



At Magnifica Luce, we maintain the steadfast belief that interior design serves as the cornerstone for attaining a unique lifestyle and fostering a healthful living environment. Our dedicated team of professional lighting designers consistently ensures the delivery of a gratifying result. We hold an unwavering conviction that the cultivation of healthy lighting practices invariably paves the way for a healthful and enriching way of life.

Our Vision



At Magnifica Luce we are dedicated to the craft of lights design. Yet, our true emphasis lies not solely in designing lights, but in the nuanced art of shaping light itself. Light transcends mere visual perception; it encompasses the realm of emotional resonance and sensory experience. It is a narrative of perception, a harmonious fusion of visual comfort and profound emotional contentment. At Magnifica Luce, our commitment is to produce lighting solutions that are not only aesthetically pleasing but also deeply resonant with your sensibilities. We aspire to create lightscapes that evoke an enduring affection and a profound connection.



Our Value

At Magnifica Luce, we centre our operations around architectural lighting, seamlessly fusing the facets of research, design, manufacturing, and sales. Our commitment extends to providing our clientele with products that are not only secure and dependable but also delivering expert lighting solutions. We hold a profound regard for the unique requirements of each client, diligently aiding them in the realization of their objectives, often surpassing their anticipations. At Magnifica Luce, our design philosophy transcends the mere concept of illumination, propelling us to craft solutions that extend beyond the confines of traditional lighting.

Our Spirit



At Magnifica Luce, it is our distinct privilege to engage in collaboration with a wide spectrum of individuals, brands, and corporate entities, all united by a profound affinity for the realms of design and illumination. Our services extend not only to industry professionals but also encompass the esteemed clientele within the residential domain. We wholeheartedly comprehend the significance of imparting exceptional lighting solutions to residences, thereby contributing to the creation of environments that radiate warmth, elegance, and refinement. Our commitment at Magnifica Luce is an unwavering pursuit of excellence in every facet of our work.

CATALOGUE



MG1906-D350
001



MG11201-D450
001



MG1906-700T
003




MG1906-1400L
003



MG12003-1200B
004



MG12004-3-650
006



MG14503-6-850
006



MG7101-230T
008



MG7101-230D
008



MG1604-1-1200D
010



MG11802-3-1500D
010



MG1604-1-150S
011



MG1604-1-150L
011



MG1801-1-300B
012



MG11203-2-620B
012



MG11802-3-880B
013



MG1604-1-120B
014



MGDG4030-150B
015



MTG4030-180
015



MGLG4030-8-300
016



MGDG4030-1-250
016



MGDG4030-8-1000
017



MGLG4030-12-850
017



MGDG4057-18-780
018



MGDE27059-1-350
019



MGDE27059-1-500
019



MG1705-320T
020



MG1705-380T
020



MTG9056-1-160
021



MGDG9056-1-160
021



MG9101-1-300T
023



MG9101-1-250B
023



MG9101-1-300D
024



MG14502-15AL
026



MG14502-20AL
026



MG14502-14A
027



MG14502-16A
027



MG14502-9A
028




MG15003-12A
028




MG12701-6B
029




MG14003-9B
029



MG14003-6A
030



MG1604-1B
032



MG1604-1T
033



MG1604-1D
034



MG11802-3B
035



MG13003-6L
035



MG13003-2L
036



MG13003-3L
036



MG1301-1BL
038



MG1301-1BS
038



MG11102-2BL
039




MG1301-1T
039




MG1301-1DL
040



MG1301-1DS
040



MG12004-3L
041




MG13003-4L
041




MGDG9050-D250/D200/D150
042



MGLG9050-200/250
042



MGDG9050-4L
043



MGDG9050-5L
043




MGLG9050-3L
045



MGDG9050-3L
045




MGDG9056-23-650
022




MG15002-8-600
014





MGDG9050-10L
044





MG16001-10-1500
025



MG14503-15L
037




Model	Light Source	Material	Power
MG1906-D350	LED	Stainless steel + Aluminium + Iron + Acrylic + Glass	5W
Size	CRI	CCT	Input voltage
Ø350*H390mm	Ra>90	3000K/4000K	AC220-240V
IP Rating	Installation	Application	Colour
IP20	Surface Mounted	Interior	GD




Model	Light Source	Material	Power
MG11201-D450	LED	Stainless steel + Aluminium + Iron + Acrylic + Glass	8W
Size	CRI	CCT	Input voltage
Ø450*H500mm	Ra>90	3000K/4000K	AC220-240V
IP Rating	Installation	Application	Colour
IP20	Surface Mounted	Interior	GD










Model	Light Source	Material	Power
MG1906-700T	LED	Stainless steel + Aluminium + Iron + Acrylic + Glass	5W
Size	CRI	CCT	Input voltage
D350*H700mm	Ra>90	3000K/4000K	AC220-240V
IP Rating	Installation	Application	Colour
IP20	Surface Mounted	Interior	GD+Pearl Black





Model	Light Source	Material	Power
MG1906-1400L	LED	Stainless steel + Aluminium + Iron + Acrylic + Glass	5W
Size	CRI	CCT	Input voltage
D400*H1400mm	Ra>90	3000K/4000K	AC220-240V
IP Rating	Installation	Application	Colour
IP20	Surface Mounted	Interior	GD+Pearl Black





Model MG12003-1200B	Light Source LED	Material Stainless steel + Aluminium + Iron + Acrylic + Glass	Power 13.5W
Size D230*H1200mm	CRI Ra>90	CCT 3000K/4000K	Input voltage AC220-240V
IP Rating IP20	Installation Surface Mounted	Application Interior	Colour GD+Pearl Black








Model	Light Source	Material	Power
MG12004-3-650	LED	Stainless steel + Aluminium + Iron + Acrylic + Glass	18.5W
Size	CRI	CCT	Input voltage
D650*H800mm	Ra>90	3000K/4000K	AC220-240V
IP Rating	Installation	Application	Colour
IP20	Surface Mounted	Interior	GD




Model	Light Source	Material	Power
MG14503-6-850	LED	Stainless steel + Aluminium + Iron + Acrylic + Glass	37W
Size	CRI	CCT	Input voltage
D850*H800mm	Ra>90	3000K/4000K	AC220-240V
IP Rating	Installation	Application	Colour
IP20	Surface Mounted	Interior	GD






Model	Light Source	Material	Power
MG7101-230T	LED	Aluminium+Iron +Silicone+Glass	10W
Size	CRI	CCT	Input voltage
D230*H515mm	Ra>90	3000K/4000K	AC220-240V
IP Rating	Installation	Application	Colour
IP20	Surface Mounted	Interior	Black+Amber





Model	Light Source	Material	Power
MG7101-230D	LED	Aluminium+Iron +Silicone+Glass	10W
Size	CRI	CCT	Input voltage
D230*H1000mm	Ra>90	3000K/4000K	AC220-240V
IP Rating	Installation	Application	Colour
IP20	Surface Mounted	Interior	Black+Amber









Model	Light Source	Material	Power
MG1604-1-1200D	LED	Aluminium+Iron+Acrylic+Glass	5W
Size	CRI	CCT	Input voltage
D150*H1200mm	Ra>90	3000K/4000K	AC220-240V
IP Rating	Installation	Application	Colour
IP20	Surface Mounted	Interior	Brass+Bubble Clear





Model	Light Source	Material	Power
MG11802-3-1500D	LED	Aluminium+Iron+Acrylic+Glass	15W
Size	CRI	CCT	Input voltage
D270*H1500mm	Ra>90	3000K/4000K	AC220-240V
IP Rating	Installation	Application	Colour
IP20	Surface Mounted	Interior	Brass+Bubble Clear






Model	Light Source	Material	Power
MG1604-1-150S	LED	Aluminium+Iron+Acrylic+Glass+Marble	5W
Size	CRI	CCT	Input voltage
Ø150*H250mm	Ra>90	3000K/4000K	AC220-240V
IP Rating	Installation	Application	Colour
IP20	Surface Mounted	Interior	Brass+Bubble Clear






Model	Light Source	Material	Power
MG1604-1-150L	LED	Aluminium+Iron+Acrylic+Glass+Marble	5W
Size	CRI	CCT	Input voltage
Ø150*H300mm	Ra>90	3000K/4000K	AC220-240V
IP Rating	Installation	Application	Colour
IP20	Surface Mounted	Interior	Brass+Bubble Clear





Model	Light Source	Material	Power
MG1801-1-300B	LED	Aluminium+Iron+Acrylic+Glass+Marble	5W
Size	CRI	CCT	Input voltage
D120*H300*S150mm	Ra>90	3000K/4000K	AC220-240V
IP Rating	Installation	Application	Colour
IP20	Surface Mounted	Interior	Brass+Bubble Clear




Model	Light Source	Material	Power
MG11205-2-620B	LED	Aluminium+Iron+Acrylic+Glass+Marble	10W
Size	CRI	CCT	Input voltage
D120*H620*S155mm	Ra>90	3000K/4000K	AC220-240V
IP Rating	Installation	Application	Colour
IP20	Surface Mounted	Interior	Brass+Bubble Clear



Model	Light Source	Material	Power
MG11802-3-880B	LED	Aluminium+Iron+Acrylic+Glass+Marble	15W
Size	CRI	CCT	Input voltage
D120*H880*S160mm	Ra>90	3000K/4000K	AC220-240V
IP Rating	Installation	Application	Colour
IP20	Surface Mounted	Interior	Brass+Bubble Clear





Model	Light Source	Material	Power
MG1604-1-120B	LED	Stainless steel+Aluminium +Iron+Acrylic+Glass	5W
Size	CRI	CCT	Input voltage
D120*H230mm	Ra>90	3000K/4000K	AC220-240V
IP Rating	Installation	Application	Colour
IP20	Surface Mounted	Interior	Pearl Black with Rose Gold +Bubble Clear





Model	Light Source	Material	Power
MG15002-8-600	LED	Stainless steel+Aluminium +Iron+Acrylic+Glass	40W
Size	CRI	CCT	Input voltage
D600*H2600mm	Ra>90	3000K/4000K	AC220-240V
IP Rating	Installation	Application	Colour
IP20	Surface Mounted	Interior	Pearl Black with Rose Gold +Bubble Clear









Model	Light Source	Material	Power
MGDG4030-150B	LED	Iron+Aluminium+Glass	4W
Size	CRI	CCT	Input voltage
D150*E75*H150mm	Ra>90	3000K/4000K	AC220-240V
IP Rating	Installation	Application	Colour
IP20	Surface Mounted	Interior	Brass/Clear Glass+Patterned Glass




Model	Light Source	Material	Power
MGTG4030-180	LED	Iron+Aluminium+Glass	4W
Size	CRI	CCT	Input voltage
D180*E260*H310mm	Ra>90	3000K/4000K	AC220-240V
IP Rating	Installation	Application	Colour
IP20	Surface Mounted	Interior	Brass/Clear Glass+Patterned Glass





Model	Light Source	Material	Power
MGLG4030-8-300	LED	Iron+Aluminium+Glass	32W
Size	CRI	CCT	Input voltage
L300*H1600mm	Ra>90	3000K/4000K	AC220-240V
IP Rating	Installation	Application	Colour
IP20	Surface Mounted	Interior	Brass/Clear Glass+Patterned Glass




Model	Light Source	Material	Power
MGDG4030-1-250	LED	Iron+Aluminium+Glass	4W
Size	CRI	CCT	Input voltage
D250*H1460mm	Ra>90	3000K/4000K	AC220-240V
IP Rating	Installation	Application	Colour
IP20	Surface Mounted	Interior	Brass/Clear Glass+Patterned Glass



Model	Light Source	Material	Power
MGDG4030-8-1000	LED	Iron+Aluminium+Glass	32W
Size	CRI	CCT	Input voltage
L1000*W405*H1250mm	Ra>90	3000K/4000K	AC220-240V
IP Rating	Installation	Application	Colour
IP20	Surface Mounted	Interior	Brass/Clear Glass+Patterned Glass



Model	Light Source	Material	Power
MGLG4030-12-850	LED	Iron+Aluminium+Glass	48W
Size	CRI	CCT	Input voltage
D850*H1250mm	Ra>90	3000K/4000K	AC220-240V
IP Rating	Installation	Application	Colour
IP20	Surface Mounted	Interior	Brass/Clear Glass+Patterned Glass




















Model MGDG4057-18-780	Light Source LED	Material Iron+Aluminium	Power 72w
Size D780*H400mm	CRI Ra>90	CCT 3000K/4000K	Input voltage AC220-240V
IP Rating IP20	Installation Surface Mounted	Application Interior	Colour Pearl Black+Dark Smork Glass





Model	Light Source	Material	Power
MGDE27059-1-350	LED	Iron	20W
Size	CRI	CCT	Input voltage
Ø340*H1500mm	Ra>90	3000K/4000K	AC220-240V
IP Rating	Installation	Application	Colour
IP20	Surface Mounted	Interior	Black+Gold





Model	Light Source	Material	Power
MGDE27059-1-500	LED	Iron	20W
Size	CRI	CCT	Input voltage
Ø500*H1500mm	Ra>90	3000K/4000K	AC220-240V
IP Rating	Installation	Application	Colour
IP20	Surface Mounted	Interior	Black+Gold




Model	Light Source	Material	Power
MG1705-320T	LED	Marble+Glass+Aluminium+Acrylic	4W
Size	CRI	CCT	Input voltage
Ø350*H305mm	Ra>90	3000K/4000K	AC220-240V
IP Rating	Installation	Application	Colour
IP20	Surface Mounted	Interior	White+Smork Glass






Model	Light Source	Material	Power
MG1705-380T	LED	Marble+Glass+Aluminium+Acrylic	4W
Size	CRI	CCT	Input voltage
Ø380*H345mm	Ra>90	3000K/4000K	AC220-240V
IP Rating	Installation	Application	Colour
IP20	Surface Mounted	Interior	White+Smork Glass





Model	Light Source	Material	Power
MGTG9056-1-160	LED	Glass+Aluminium+Marble	5W
Size	CRI	CCT	Input voltage
D160*H200mm	Ra>90	3000K/4000K	AC220-240V
IP Rating	Installation	Application	Colour
IP20	Surface Mounted	Interior	Brass+Clear





Model	Light Source	Material	Power
MGDG9056-1-160	LED	Glass+Aluminium+Stainless Steel	5W
Size	CRI	CCT	Input voltage
Ø160*H1200mm	Ra>90	3000K/4000K	AC220-240V
IP Rating	Installation	Application	Colour
IP20	Surface Mounted	Interior	Brass+Clear




Model	Light Source	Material	Power
MG DG9056-23-650	LED	Glass+Aluminium +Stainless Steel	115W
Size	CRI	CCT	Input voltage
Ø650*H2800mm	Ra>90	3000K/4000K	AC220~240V
IP Rating	Installation	Application	Colour
IP20	Surface Mounted	Interior	Brass+Clear



Model	Light Source	Material	Power
MG9101-1-300T	LED	Glass+Aluminium+Marble	5W
Size	CRI	CCT	Input voltage
Ø300*H130mm	Ra>90	3000K/4000K	AC220-240V
IP Rating	Installation	Application	Colour
IP20	Surface Mounted	Interior	Black Titanium+Clear/ White/Coffee/ Wine



Model	Light Source	Material	Power
MG9101-1-250B	LED	Glass+Aluminium+Iron	5W
Size	CRI	CCT	Input voltage
Ø250*H120mm	Ra>90	3000K/4000K	AC220-240V
IP Rating	Installation	Application	Colour
IP20	Surface Mounted	Interior	Black Titanium+Clear/ White/Coffee/ Wine



Model MG9101-1-300D	Light Source LED	Material Glass + Aluminium	Power 5W
Size Ø280*H1500mm	CRI Ra>90	CCT 3000K/4000K	Input voltage AC220-240V
IP Rating IP20	Installation Surface Mounted	Application Interior	Colour Black Titanium+Clear/ White/Coffee/ Wine





Clear


White

Coffee


Wine



Model	Light Source	Material	Power
MG16001-10-1500	LED	Glass+Aluminium +Stainless Steel	50W
Size	CRI	CCT	Input voltage
D1500*H2300mm	Ra>90	3000K/4000K	AC220-240V
IP Rating	Installation	Application	Colour
IP20	Surface Mounted	Interior	Black Titanium+Clear/ White/Coffee/ Wine



Model	Light Source	Material	Power
MG14502-15AL	LED	Stainless Steel+Acrylic	54W
Size	CRI	CCT	Input voltage
L345*W300*H1500mm	Ra>90	3000K/4000K	AC220-240V
IP Rating	Installation	Application	Colour
IP20	Surface Mounted	Interior	Titanium Gold/ Rose Gold/Chrome





Model	Light Source	Material	Power
MG14502-20AL	LED	Stainless Steel+Acrylic	74W
Size	CRI	CCT	Input voltage
L345*W300*H2000mm	Ra>90	3000K/4000K	AC220-240V
IP Rating	Installation	Application	Colour
IP20	Surface Mounted	Interior	Titanium Gold/ Rose Gold/Chrome





Model	Light Source	Material	Power
MG14502-14A	LED	Stainless Steel+Acrylic	16W
Size	CRI	CCT	Input voltage
L1400*W160*H180/1800mm	Ra>90	3000K/4000K	AC220-240V
IP Rating	Installation	Application	Colour
IP20	Surface Mounted	Interior	Titanium Gold/Rose Gold/Chrome





Model	Light Source	Material	Power
MG14502-16A	LED	Stainless Steel+Acrylic	65W
Size	CRI	CCT	Input voltage
L1600*W290*H290/1800mm	Ra>90	3000K/4000K	AC220-240V
IP Rating	Installation	Application	Colour
IP20	Surface Mounted	Interior	Titanium Gold/Rose Gold/Chrome





Model	Light Source	Material	Power
MG14502-9A	LED	Stainless Steel+Acrylic	85W
Size	CRI	CCT	Input voltage
Ø900*H180/1800mm	Ra>90	3000K/4000K	AC220-240V
IP Rating	Installation	Application	Colour
IP20	Surface Mounted	Interior	Titanium Gold/Rose Gold/Chrome





Model	Light Source	Material	Power
MG15003-12A	LED	Stainless Steel+Acrylic	115W
Size	CRI	CCT	Input voltage
Ø1200*H220/1800mm	Ra>90	3000K/4000K	AC220-240V
IP Rating	Installation	Application	Colour
IP20	Surface Mounted	Interior	Titanium Gold/Rose Gold/Chrome



Model	Light Source	Material	Power
MG12701-6B	LED	Stainless Steel+Acrylic	26W
Size	CRI	CCT	Input voltage
L600*W290*D175mm	Ra>90	3000K/4000K	AC220-240V
IP Rating	Installation	Application	Colour
IP20	Surface Mounted	Interior	Titanium Gold/Rose Gold/Chrome





Model	Light Source	Material	Power
MG14003-9B	LED	Stainless Steel+Acrylic	32W
Size	CRI	CCT	Input voltage
L900*W290*D200mm	Ra>90	3000K/4000K	AC220-240V
IP Rating	Installation	Application	Colour
IP20	Surface Mounted	Interior	Titanium Gold/Rose Gold/Chrome







Model MG14003-6A	Light Source LED	Material Stainless Steel+Acrylic	Power 35W
Size L600*W520*H210mm	CRI Ra>90	CCT 3000K	Input voltage AC220-240V
IP Rating IP20	Installation Surface Mounted	Application Interior	Colour Titanium Gold/Rose Gold/Chrome






Model	Light Source	Material	Power
MG1604-1B	LED	Steel+Handmade Glass	5W
Size	CRI	CCT	Input voltage
L100*W125*H145mm	Ra>90	/	AC220-240V
IP Rating	Installation	Application	Colour
IP20	Surface Mounted	Interior	Mauve/Dark Brown/ Ink Blue/Tea Brown/Clear Amber






Model	Light Source	Material	Power
MG1604-IT	LED	Steel+Handmade Glass	5W
Size	CRI	CCT	Input voltage
Ø150*H105mm	Ra>90	/	AC220-240V
IP Rating	Installation	Application	Colour
IP20	Surface Mounted	Interior	Mauve/Dark Brown/ Ink Blue/Tea Brown/Clear/Amber




Ink Blue




Mauve




Clear



Amber



Dark Brown



Model	Light Source	Material	Power
MG1604-1D	LED	Steel+Handmade Glass	5W
Size	CRI	CCT	Input voltage
Ø150*H1250mm	Ra>90	/	AC220-240V
IP Rating	Installation	Application	Colour
IP20	Surface Mounted	Interior	Mauve/Dark Brown/ Ink Blue/Tea Brown/Clear/Amber



Ink Blue




Mauve






Clear






Amber




Dark Brown





Model	Light Source	Material	Power
MG11802-3B	LED	Steel+Handmade Glass	15W
Size	CRI	CCT	Input voltage
W185*E140*H1200mm	Ra>90	/	AC220-240V
IP Rating	Installation	Application	Colour
IP20	Surface Mounted	Interior	Mauve/Dark Brown/Ink Blue/Tea Brown/Clear/Amber






Model	Light Source	Material	Power
MG13003-6L	LED	Steel+Handmade Glass	30W
Size	CRI	CCT	Input voltage
L1500*H1200mm	Ra>90	/	AC220-240V
IP Rating	Installation	Application	Colour
IP20	Surface Mounted	Interior	Mauve/Dark Brown/Ink Blue/Tea Brown/Clear/Amber








Model MG13003-2L	Light Source LED	Material Steel+Handmade Glass	Power 10W
Size D180*H580mm	CRI Ra>90	CCT /	Input voltage AC220-240V
IP Rating IP20	Installation Surface Mounted	Application Interior	Colour Mauve/Dark Brown/Ink Blue/ Tea Brown/Clear/Amber






Model MG13003-3L	Light Source LED	Material Steel+Handmade Glass	Power 15W
Size Ø250*H1600mm	CRI Ra>90	CCT /	Input voltage AC220-240V
IP Rating IP20	Installation Surface Mounted	Application Interior	Colour Mauve/Dark Brown/Ink Blue/ Tea Brown/Clear/Amber



Model	Light Source	Material	Power
MG14503-15L	LED	Steel+Handmade Glass	56W
Size	CRI	CCT	Input voltage
D1800*H1500mm	Ra>90	/	AC220-240V
IP Rating	Installation	Application	Colour
IP20	Surface Mounted	Interior	Mauve/Dark Brown/Ink Blue/ Tea Brown/Clear/Amber





Model	Light Source	Material	Power
MG1301-1BL	LED	Steel+Handmade Glass Amber/Handmade Glass Clear	5W
Size	CRI	CCT	Input voltage
Ø250mm	Ra>90	3000K/4000K	AC220-240V
IP Rating	Installation	Application	Colour
IP20	Surface Mounted	Interior	Amber/Clear





Model	Light Source	Material	Power
MG1301-1BS	LED	Steel+Handmade Glass Amber/Handmade Glass Clear	5W
Size	CRI	CCT	Input voltage
Ø200mm	Ra>90	3000K/4000K	AC220-240V
IP Rating	Installation	Application	Colour
IP20	Surface Mounted	Interior	Amber/Clear









Model	Light Source	Material	Power
MG1102-2BL	LED	Steel+Handmade Glass Amber/Handmade Glass Clear	8W
Size	CRI	CCT	Input voltage
Ø200*H450mm	Ra>90	3000K/4000K	AC220-240V
IP Rating	Installation	Application	Colour
IP20	Surface Mounted	Interior	Amber/Clear





Model	Light Source	Material	Power
MG1301-1T	LED	Steel+Handmade Glass Amber/Handmade Glass Clear	5W
Size	CRI	CCT	Input voltage
Ø250*H355mm	Ra>90	3000K/4000K	AC220-240V
IP Rating	Installation	Application	Colour
IP20	Surface Mounted	Interior	Amber/Clear




Model	Light Source	Material	Power
MG1301-1DL	LED	Steel+Handmade Glass Amber/Handmade Glass Clear	5W
Size	CRI	CCT	Input voltage
Ø250*H800mm	Ra>90	3000K/4000K	AC220-240V
IP Rating	Installation	Application	Colour
IP20	Surface Mounted	Interior	Amber/Clear




Model	Light Source	Material	Power
MG1301-1DS	LED	Steel+Handmade Glass Amber/Handmade Glass Clear	5W
Size	CRI	CCT	Input voltage
Ø200*H800mm	Ra>90	3000K/4000K	AC220-240V
IP Rating	Installation	Application	Colour
IP20	Surface Mounted	Interior	Amber/Clear




Model	Light Source	Material	Power
MG12004-3L	LED	Steel+Handmade Glass	23W
Size	CRI	CCT	Input voltage
L1200*W200*H2000mm	Ra>90	3000K/4000K	AC220-240V
IP Rating	Installation	Application	Colour
IP20	Surface Mounted	Interior	Amber+Clear




Model	Light Source	Material	Power
MG13003-4L	LED	Steel+Handmade Glass	30W
Size	CRI	CCT	Input voltage
L1450*W200*H2000mm	Ra>90	3000K/4000K	AC220-240V
IP Rating	Installation	Application	Colour
IP20	Surface Mounted	Interior	Amber+Clear





Model	Light Source	Material	Power
MGDG9050-D250 / D200 / D150	LED	Steel+Handmade Glass	5W
Size	CRI	CCT	Input voltage
Ø250/200/150mm	Ra>90	3000K/4000K	AC220-240V
IP Rating	Installation	Application	Colour
IP20	Surface Mounted	Interior	Brass/Black





Model	Light Source	Material	Power
MGLG9050-200/250	LED	Aluminium +Handmade Glass	5W
Size	CRI	CCT	Input voltage
Ø200/250mm	Ra>90	3000K/4000K	AC220-240V
IP Rating	Installation	Application	Colour
IP20	Surface Mounted	Interior	Brass/Black





Model MGDG9050-4L	Light Source LED	Material Steel+Aluminium+ Handmade Glass	Power 20W
Size w335*L1200*H1250mm	CRI Ra>90	CCT 3000K/4000K	Input voltage AC220-240V
IP Rating IP20	Installation Surface Mounted	Application Interior	Colour Brass/Black





Model MGDG9050-5L	Light Source LED	Material Steel+Aluminium+ Handmade Glass	Power 25W
Size w430*L1600*H1500mm	CRI Ra>90	CCT 3000K/4000K	Input voltage AC220-240V
IP Rating IP20	Installation Surface Mounted	Application Interior	Colour Brass/Black



Model	Light Source	Material	Power
MGDG9050-10L	LED	Steel+Handmade Glass	50W
Size	CRI	CCT	Input voltage
Ø800*H2800mm	Ra>90	3000K/4000K	AC220-240V
IP Rating	Installation	Application	Colour
IP20	Surface Mounted	Interior	Brass/Black



Model	Light Source	Material	Power
MGLG9050-3L	LED	Steel+Aluminium+Handmade Glass	15W
Size	CRI	CCT	Input voltage
D300*H1650mm	Ra>90	3000K/4000K	AC220-240V
IP Rating	Installation	Application	Colour
IP20	Surface Mounted	Interior	Brass/Black



Model	Light Source	Material	Power
MGDG9050-3L	LED	Steel+Aluminium+Handmade Glass	15W
Size	CRI	CCT	Input voltage
D365*H1650mm	Ra>90	3000K/4000K	AC220-240V
IP Rating	Installation	Application	Colour
IP20	Surface Mounted	Interior	Brass/Black