



INDOOR FIREPLACES

FIRE BY **escea.**

Born in the south, where warmth matters.

Escea fireplaces are designed and made in the deep south of New Zealand, the best place to test the limits of heat and efficiency.

Naturally we're inspired by our backyard, but we're also driven by a purpose too – to put a fireplace at the heart of every home. Because we believe it makes your life just that bit better.

Fireplace, anyplace

Escea's flexible flues run up, down or even sideways, for complete design freedom.

Beautiful Warmth

Why compromise heat output for good looks? With an Escea fireplace you get the best of both worlds.

Crafted with care

From concept to completion, our people take pride in every fireplace they have a hand in making.

MADE IN
NEW ZEALAND



Indoor Fireplace Range

Get to know Escea's range of indoor fireplaces.
There's (at least) one for every home and every lifestyle.

DS Series DS1150, DS1400, DS1650, DS1900

Truly frameless and ultra-wide gas fireplaces for a minimalist look that focuses on the flame.

Pg 4

DX Series DX1000, DX1500

Linear high heat output gas fireplaces to effortlessly heat one, two or multiple rooms.

Pg 8

DL Series DL850, DL1100

High heat output combines with high efficiency to deliver a powerful range of fireplaces.

Pg 12

DF Series DF700, DF960, DF990

Smaller dimensions and flexible installation make this series ideal for renovations and new builds.

Pg 16

DFS730 Freestanding

Designed for homes with minimal wall space, or to replace an existing freestanding woodburner.

Pg 20

DS Series

SINGLE OR DOUBLE SIDED

[Click for more](#)


The DS Series has a small footprint and a big impact. These fireplaces are truly frameless drawing your eye straight to the flames – where the wall ends the glass begins. Available from 1.15m wide all the way up to an impressive 1.9m wide, the DS Series of ultra-wide fireplaces command attention.

The large window gives a clear view of the generous fuelbed, large flames and when double sided you can also see the room next door. And being able to flue the fireplace through the ceiling, the floor or the wall – the only limitation is your imagination.



SMART HEAT™

Control the temperature of your home with your smart phone.



TRULY FRAMELESS

Where the wall ends, the glass begins.



DS Series Models



DS Series Options

DS1150



Heat output
8.5kW

Energy Efficiency*
5 Star ★★★★★

Max Energy Input
34MJ/hr

Approx appliance size (mm)
1400w x 788h x 350d

Viewable glass (mm)
1067w x 411h

TV Clearance
200mm above fireplace minimum

Features

- Truly Frameless
- Powered Direct Vent
- Single or Double sided options
- Zero Clearance
- Smart Heat
- Reflective Side Panels
- Detachable Mesh Guard (optional)

DS1400



Heat output
9.5kW

Energy Efficiency*
5 Star ★★★★★

Max Energy Input
40MJ/hr

Approx appliance size (mm)
1693w x 788h x 350d

Viewable glass (mm)
1360w x 411h

TV Clearance
200mm above fireplace minimum

Features

- Truly Frameless
- Powered Direct Vent
- Single or Double sided options
- Zero Clearance
- Smart Heat
- Reflective Side Panels
- Detachable Mesh Guard (optional)

DS1650



Heat output
10.5kW

Energy Efficiency*
5 Star ★★★★★

Max Energy Input
44MJ/hr

Approx appliance size (mm)
1986w x 788h x 350d

Viewable glass (mm)
1653w x 411h

TV Clearance
200mm above fireplace minimum

Features

- Truly Frameless
- Powered Direct Vent
- Single or Double sided options
- Zero Clearance
- Smart Heat
- Reflective Side Panels
- Detachable Mesh Guard (optional)

DS1900



Heat output
10.5kW

Energy Efficiency*
3 Star ★★★

Max Energy Input
49MJ/hr

Approx appliance size (mm)
2277w x 869h x 350d


Viewable glass (mm)
1943w x 411h

TV Clearance
200mm above fireplace min

Features

- Truly Frameless
- Powered Direct Vent
- Single or Double sided options
- Zero Clearance
- Smart Heat
- Reflective Side Panels
- Detachable Mesh Guard (optional)

Fascia Options



A subtle single bevelled edge to frame the fireplace.

Fascia sizes (mm)
DS1150: 1144w x 485h x 35d
DS1400: 1435w x 485h x 35d
DS1650: 1730w x 485h x 35d



Being frameless lets the wall itself be the work of art.

Fascia sizes (mm)
DS1150: 1067w x 411h
DS1400: 1359w x 411h
DS1650: 1653w x 411h



An optional plaster board finishing trim, with clean lines keeps this frame minimal.

Fascia sizes (mm)
DS1150: 1112w x 456h
DS1400: 1404w x 456h
DS1650: 1698w x 456h

Fuelbed Options



Black Crystalight



White Crystalight



Logs



Woodland Selection



Black Coals (Large)



White Coals (Large)



NZ River Rock (Large)

*May vary depending on flue or gas type.

DX Series

MULTIROOM | SINGLE OR DOUBLE SIDED

[Click for more](#)

The DX Series combines dramatic flame action with Escea's Heat Ducting Technology, which provides heat into several rooms and evenly distributes within the same room. With its minimalist aesthetic, the DX Series works with any interior style and their effect grows exponentially when they're double sided.

Reflective side panels give the appearance of an even wider fireplace and add to the infinite flame effect. Customise the look of your fireplace by choosing between a variety of different fuelbeds and frames.



SMART HEAT™

Control the temperature of your home with your smart phone.



MULTIROOM

Duct heat from the fireplace to multiple vents throughout your home.



DX Series Models



DX Series Options

DX1000



Heat output
8.4kW

Energy Efficiency*
5 Star ★★★★★

Max Energy Input
33MJ/hr

Approx appliance size (mm)
1328w x 794h x 382d

Viewable glass (mm)
1062w x 360h

TV Clearance
230mm above fireplace minimum

- Features
- Single or Double Sided
 - Powered Direct Vent
 - Ducted Heat
 - Double Sided
 - Zero Clearance
 - Smart Heat
 - Reflective Side Panels
 - Detachable Mesh Guard (optional)

*May vary depending on flue or gas type.

DX1500



Heat output
10.4kW

Energy Efficiency*
5 Star ★★★★★

Max Energy Input
40MJ/hr

Approx appliance size (mm)
1828w x 794h x 382d

Viewable glass (mm)
1562w x 360h

TV Clearance
230mm above fireplace minimum

- Features
- Single or Double Sided
 - Powered Direct Vent
 - Ducted Heat
 - Double Sided
 - Zero Clearance
 - Smart Heat
 - Reflective Side Panels
 - Detachable Mesh Guard (optional)

Fascia Options

All DX Series fascias are available for both single or double sided fireplaces.



A subtle single bevelled edge to frame the fireplace.




Fascia sizes (mm)
DX1000: 1130w x 430h 40d
DX1500: 1630w x 430h 40d



Being frameless lets the wall itself be the work of art.

Fascia sizes (mm)
DX1000: 1357w x 410h
DX1500: 1560w x 360h



An optional plaster board finishing trim, with clean lines keeps this frame minimal.

Fascia sizes (mm)
DX1000: 1085w x 387h
DX1500: 1583w x 387h

Fuelbed Options



DL Series

STATEMENT FRAME | SINGLE SIDED

[Click for more](#)

High heat output combined with high efficiency is what distinguishes the DL Series from the rest.

These fireplaces work with both modern and traditional decor - the frame within a frame providing a statement detail. Both the DL850 and the DL1100 feature smartphone control and the Powered Direct Vent flue system gives you the flexibility to install the fireplace wherever you want.



SMART HEAT™

Control the temperature of your home with your smart phone.



HIGH HEAT OUTPUT

Powerful heat output for large open-plan living spaces.




DL Series Models



DL Series Options

DL850



Heat output
9.2kW

Energy Efficiency*
5 Star ★★★★★

Max Energy Input
38MJ/hr


Approx appliance size (mm)
959w x 560h x 518d

Viewable glass (mm)
734w x 296h

TV Clearance
590mm above fireplace minimum

Features
Powered Direct Vent
Zero Clearance
Smart Heat (optional)
Reflective Side Panel (optional)
Wire Mesh Screen (optional in NZ)

DL1100



Heat output
10.4kW

Energy Efficiency*
5 Star ★★★★★

Max Energy Input
43MJ/hr

Approx appliance size (mm)
1259w x 560h x 518d

Viewable glass (mm)
1034w x 296h

TV Clearance
590mm above fireplace minimum

Features
Powered Direct Vent
Zero Clearance
Smart Heat (optional)
Reflective Side Panel (optional)
Wire Mesh Screen (optional in NZ)

*May vary depending on flue or gas type.

Fascia Options



A bevelled frame set.



Fascia sizes (mm)
DL850: 1060w x 635h x 40d
DL1100: 1360w x 635h x 40d



A square edged frame.



Fascia sizes (mm)
DL850: 995w x 585h x 40d
DL1100: 1290w x 585h x 40d



A wall recessed frame.



Fascia sizes (mm)
DL850: 995w x 580h x 50d
DL1100: 1285w x 580h x 50d

NOTE: Inset fascias require a different cavity/wall construction. See installation manual for further information.

Fuelbed Options



Logs



Black Crystalight



White Crystalight



NZ River Rock (Large)



Black Coals (Large)



White Coals (Large)

DF Series

RETROFIT OPTION | SINGLE SIDED

The DF Series is Escea's most versatile range. From the small and compact retrofittable DF700, to the grandiose DF990, there's an insert fireplace for every home.

A highlight of the DF Series is the angled firebox, which creates a beautiful and realistic looking flame pattern. With its minimalist frame, these fires work just as well sitting pretty inside a traditional mantel as they do set flush against the wall for a more contemporary, seamless look.



SMART HEAT™

Control the temperature of your home with your smart phone.



POWERED DIRECT VENT

Fan-forced airflow for ease of install and design freedom.




DF Series Models



DF Series Options

DF700



Heat output
5.9kW

Energy Efficiency*
5 Star ★★★★★

Max Energy Input
25MJ/hr

Approx appliance size (mm)
692w x 566h x 387d


Viewable glass (mm)
592w x 392h

TV Clearance
200mm above fireplace minimum

Features

- Powered Direct Vent
- Zero Clearance
- Smart Heat (optional)
- Suitable for Retrofit

DF960



Heat output
7.7kW

Energy Efficiency*
5 Star ★★★★★

Max Energy Input
31MJ/hr

Approx appliance size (mm)
942w x 566h x 402d


Viewable glass (mm)
842w x 392h

TV Clearance
200mm above fireplace minimum

Features

- Powered Direct Vent
- Zero Clearance
- Smart Heat (optional)

DF990



Heat output
8.2kW

Energy Efficiency*
4.9 Star ★★★★★

Max Energy Input
35MJ/hr

Approx appliance size (mm)
942w x 854h x 402d

Viewable glass (mm)
842w x 680h

TV Clearance
200mm above fireplace minimum
(with Mantel required)

Features


- Powered Direct Vent
- Smart Heat (optional)

Fascia Options



Slim

A flat frame that sits flush with your wall.




Fascia sizes (mm)
DF700: 711w x 593h x 2d
DF960: 961w x 593h x 2d
DF990: 961w x 881h x 5.5d



Stretch

A wider flat frame that sits flush with your wall.




Fascia sizes (mm)
DF700: 761w x 632h x 2d
DF960: 1011w x 632h x 2d
DF990: 1011w x 920h x 5.5d



Edge

With Optional SuperFine Mesh

A statement frame sitting proud of the wall with optional SuperFine mesh gaurd.



Fascia sizes (mm)
DF700: 745w x 639h x 34d
DF960: 995w x 639h x 34d

Fuelbed Options



Black Coals
(Small)



Logs



NZ River Rock
(Small)

*May vary depending on flue or gas type.

DFS730

FREESTANDING

[Click for more](#)

The freestanding DFS730 is designed as a modern gas fireplace replacement for an existing freestanding woodburner, or for installing into a room where you do not have enough wall space for an inbuilt fireplace.

This sleek black fireplace fits into tight spaces, and it has a large glass window for maximum flame viewing. The beauty of gas is that you get the same flame and same heat as your old woodburner, without the mess or fuss. The Powered Direct Vent flue system draws air from outside the home into a sealed unit, keeping your home free of moisture and fumes.



SMART HEAT™

Control the temperature of your home with your smart phone.



POWERED DIRECT VENT

Fan-forced airflow for ease of install and design freedom.




DFS730



DFS730 Options

DFS730



Heat output
5.9kW

Energy Efficiency*
5 Star ★★★★★

Max Energy Input
25MJ/hr

Approx appliance size (mm)
756w x 753h x 506d

Viewable glass (mm)
592w x 392h

Features

- Powered Direct Vent
- Cool-touch Body
- Smart Heat (optional)

*May vary depending on flue or gas type.

Side Panel Options



Volcanic Black



Stainless Steel

Fuelbed Options



Black Coals
(Small)



Logs



NZ River Rock
(Small)

Mantel Surrounds

DF Series Mantels

To complement the DF Series of insert fireplaces, there is a mantel available to purchase with the DF700, DF960 and DF990 fireplaces.

Constructed from MDF, the mantel comes with a white undercoat finish to allow you to complete the look with your choice of paint colour. Infill panels (for when the cavity is larger than the frame) are also included.

Pictured: DF990 with Mantel



NOTE: The fireplace needs to be raised 65mm from the floor for the mantel to be correctly installed.



Mantel for DF700

Outer dimensions: 1470W x 1293H x 270D



Mantel for DF960 & DF990

Outer dimensions: 1720W x 1293H x 270D

Features



Powered Direct Vent

Our Powered Direct Vent flue technology achieves greater efficiencies and allows flues up to 12m in length which can be run horizontally or vertically. Flues can finish either on a roof or outside wall and can even be run under a floor. It uses outside air for combustion rather than room air and is a completely sealed system unaffected by other appliances such as extractor fans. With no fumes coming in and no hot room air going out, you can keep warmer and healthier.

This innovation also gives you the flexibility to put the fireplaces wherever you like, without the need for cavities or even walls to install. Another benefit of Power Flue is joinery-friendly Zero Clearance installation. The key is the fan-forced airflow, which allows you to install the flues in any direction, making even the most complex flue run possible.

Available on all indoor fireplaces.



Through-roof

Through-wall

Through-floor

Between-floors

Features

Continued ...



Multiroom Heat Ducting

Multiroom, Escea's Heat Ducting Technology, captures up to 90% of the available heat and carries it throughout the house via ceiling and floor vents. The ducting technology allows you to provide heat to more than one room in your home.

Available on:
DX1500, DX1000



Smart Heat

When connected to your home network our Smart Heat system lets you turn on your fire through your Smart Phone or any secure internet connection and integrates with most Home Automation systems. It keeps the room at the temperature you select and continuously adjusts to ensure the most efficient burn – which is what we mean by Smart Heat.


Available on all indoor fireplaces.

Design your fireplace

Undecided on which fascia or fuel bed suits your home?

Escea's Design Your Fire online tool lets you try on and compare the different fireplace, fascia, fuel bed and wall combinations.

escea.com/designyourfire



Fuelbeds

Woodland Selection



New Zealand River Rock Coals - Large
The flecked, earth tones give a modern appearance.
DL Series, DS Series, EF5000



New Zealand River Rock Coals - Small
The flecked, earth tones give a modern appearance.
DX Series, DF Series, DFS730



Logs
Traditional log set.
DS Series, DF Series, DFS730



Woodland Selection
Composed of branches, pine cones, and shale.
DX Series, DS Series



Black Coals - Large
A traditional coal effect to contrast the flames.
DL Series, DS Series, EF5000



Black Coals - Small
A traditional coal effect to contrast the flames.
DX Series, DF Series, DFS730



Black Crystalight
Black glass which contrasts against the golden flames.
DX Series, DS Series, DL Series



White Crystalight
White tempered glass for enhancing the flame.
DX Series, DS Series, DL Series



White Coals - Large
The elemental-inspired coals in a white colour.
DL Series, DS Series, EF5000



White Coals - Small
The elemental-inspired coals in a white colour.
DX Series



DL Series Logs
Traditional log set for the DL Series only.
DL Series

Outdoor Fireplaces

Fireplaces have a mesmerising quality - people love sitting around them and watching the flames flicker. An outdoor fireplace means you can entertain late into the night, creating a dramatic focal point, that's warm and inviting for all.

Visit escea.com to see more about the range of Outdoor Fireplaces.

EK Series

Outdoor Fireplace Kitchen



The ultimate outdoor cooking fire, the EK Series comes equipped with everything you need to make a smoky meat lover's feast.

Available Models*:
950mm, 1250mm, 1550mm

EP1350

Outdoor Fire Table



Inspired by the classic campfire, the Fire Table is made for 360° social cooking.

Approx Appliance Size:
1350w x 705h mm

EF5000

Outdoor Gas Fireplace



At the touch of a button the EF5000 gives you a quick heat and ambience, so you can get down to the business of relaxing.

Approx Appliance Size:
1000w x 579h x 320d mm

EW5000

Outdoor Wood Fireplace



An outdoor wood fireplace with cooking grill that easily transitions from barbecue to night-time companion.

Approx Appliance Size:
996w x 758h x 489d mm

*Model width is an approximate indication. For accurate sizes, view the full product specs on escea.com



Fireplace specs

FIREPLACE	SIZE			ENERGY & EFFICIENCY			AESTHETIC OPTIONS		FEATURES			
	Approximate Appliance Size	Viewable Glass / Flame Area (mm)	Cavity size*	Energy Input	Heat Output	Star Rating**	Fuelbeds	Fascia Options	Heat Ducting	Reflective Panels	Wire Mesh Front	Zero Clearance
DX1000	1328w x 794h x 382d	1062w x 360h	1400w x 800h x 450d	33MJ/hr	8.4 kW	5	Crystalight, Woodland, Coals	Frameless, Bevelled Lite, Linear Trim	Yes	Yes	Optional	Yes
DX1500	1828w x 794h x 382d	1562w x 360h	1900w x 800h x 450d	40MJ/hr	10.4 kW	5	Crystalight, Woodland, Coals	Frameless, Bevelled Lite, Linear Trim	Yes	Yes	Optional	Yes
DS1150	1400w x 788h x 350d	1067w x 411h	1408w x 850h x 364d	34MJ/hr	8.5kW	5	Crystalight, Woodland, Coals, Logs	Frameless, Bevelled Lite, Linear Trim		Yes	Optional	Yes
DS1400	1693w x 788h x 350d	1360w x 411h	1700w x 850h x 364d	40MJ/hr	9.5kW	5	Crystalight, Woodland, Coals, Logs	Frameless, Bevelled Lite, Linear Trim		Yes	Optional	Yes
DS1650	1986w x 788h x 350d	1653w x 411h	1994w x 850h x 364d	44MJ/hr	10.5kW	5	Crystalight, Woodland, Coals, Logs	Frameless, Bevelled Lite, Linear Trim		Yes	Optional	Yes
DS1900	2277w x 869h x 350d	1943w x 411h	2452w x 928h x 364d	49MJ/hr	10.5kW	3	Crystalight, Woodland, Coals, Logs	Frameless, Bevelled Lite, Linear Trim		Yes	Optional	Yes
DL850	959w x 560h x 518d	734w x 296h	965w x 565h x 565d	38MJ/hr	9.2kW	5	Crystalight, Coals, Logs	Bevelled, Inset, Squared Lite		Optional	Optional	Yes
DL1100	1259w x 560h x 518d	1034w x 296h	1265w x 565h x 565d	43MJ/hr	10.4kW	5	Crystalight, Coals, Logs	Bevelled, Inset, Squared Lite		Optional	Optional	Yes
DF700	692w x 566h x 387d	592w x 392h	695w x 600h x 405d	25MJ/hr	5.9kW	5	Logs, Coals	Slim, Stretch, Edge			Optional	Yes
DF960	942w x 566h x 402d	842w x 392h	945w x 600h x 420d	31MJ/hr	7.7kW	5	Logs, Coals	Slim, Stretch, Edge			Optional	Yes
DF990	942w x 854h x 402d	842w x 680h	945w x 888h x 420d	35MJ/hr	8.2kW	4.9	Logs, Coals	Slim, Stretch				
DFS730	756w x 753h x 506d	592w x 392h	N/A	25MJ/hr	5.9kW	5	Logs, Coals					Yes

All Escea indoor gas fireplaces come with a wireless remote (thermostat and timer integrated), and are equipped with Escea's mobile Smart Heat capability. Note, indoor fireplaces require a wired connection to your internet router for Smart Heat to function. This cable is included only on DX and DS Series fireplaces, but is an optional extra across the full indoor range.

*Cavity size may vary depending on installation requirements or fascia type. See installation manual for more information.

**May vary depending on flue or gas type.

AUTHORISED DEALER



For warranty conditions visit www.escea.com/warranty

Design Escea ©2020

• • • • Number: NZ RV12.0

www.escea.com

MANUFACTURER
& NEW ZEALAND DISTRIBUTOR

Escea Ltd
17 Carnforth Street,
Green Island, Dunedin 9018,
New Zealand.
Ph +64 3 478 8220
Email: info@escea.com

AUSTRALIAN DISTRIBUTOR

Escea Australia Pty Ltd
PO Box 176
Pennant Hills, Sydney
NSW 1715
Email: australia@escea.com
Western Australia phone: 1800 730 140
Rest of Australia phone: 1800 460 832

DISCLAIMER

Due to ongoing product development, Escea reserves the right to change any specifications listed in this brochure without notice. Escea promotional images are of real products, but fireplace appearance may vary due to printing limitations and environmental factors, and flame pattern may vary depending on gas type.



FIRE BY **escea.**