

BOUTIQUE

SERIES 5000

Smart Sustainable Living

Uw 1.0 - 2.3
WERS RATED

ENERGY EFFICIENT WINDOWS AND DOORS

Australian Made

Exceeds Australian Standards

Awning

Casement

Tilt and Turn

Sliding

Fixed

Lift and Slide

Smart Sliding

Swing and Slide

Glass and

French Entry

Superior protection against outside heat, cold and noise.



Energy Efficiency Explained

Superior WERS Rated U-VALUES (Uw)

U-values (Uw) determine the insulating and energy efficiency levels of your windows. The Australian Window Energy Rating Scheme (WERS) created the U-value calculation system. Windows with the lowest U-Values offer the greatest insulation and energy efficiency.


The thermal and acoustic performance of the:

- window frame
- double glazing glass
- double glazing cavity size; and
- insulating seals

all adhere to stringent National Standards. Tested and certified to AS2047 & AS1288 Australian National Standards. Thermotek windows and doors cater for all types of green, smart, residential projects. This includes both new builds and renovations.




FULLY INSULATED FRAME



Uw 1.0 - 2.3



**Fully Insulated
for Cold, Hot and
Mixed Climates**



Low 'E' Solar Smart Comfort Glass



Cost Effective Energy Efficiency

Thermotek Technology

Window Energy Rating Scheme


WERS Uw 1.0 - 2.3

AS 1288 - AS 2047 - AS 4420

24mm Double Glazing

Australian Standard 1288 Compliant
Double Glazing with Argon Gas Fill
Low 'E' Solar Smart Comfort Glass.*

*Upgrade Option.



INSULATED RIGID U-PVC POLYMER FRAME

Thermotek window and door frames comprise fusion-welded, multiple air chambers. These deliver a super sealed and insulated frame with superior energy efficiency properties.

Air Tight (TPE) Dual Compression Seals

Dual TPE (thermoplastic elastomer) seals are also in the multi-chamber frame. These enhance thermal and acoustic performance by eliminating airflow through the window.

BAL 12.5 - 40 Bushfire Resistant

CSIRO Certified BAL 12.5 - 40.

Industry Best 10 Year Warranty

Extended warranty from an industry average of 7 years to an impressive 10.



Flyscreens Included.

Select from our latest range of architectural colours.

Call 1300 663 861 to discuss your project requirements or email your plans to:

sales@thermotekwindows.com.au

Developers, designers, builders and owner builders receive industry-best service, value and advice.

1300 663 861

Mon - Fri: 9 am - 5 pm

Sat: 9 am - 3 pm

thermotekwindows.com.au

sales@thermotekwindows.com.au

SHOWROOM

819 Nepean Highway

BENTLEIGH VIC 3204

HEAD OFFICE

Manufacturing and Production

38-40 Rushwood Drive

CRAIGIEBURN VIC 3064

uPVC Windows
ALLIANCE
AN INITIATIVE OF VINYL COUNCIL OF AUSTRALIA

BOUTIQUE

5000 SERIES

Fully Insulated

THERMOTEK QUOTE

Call 1300 663 861 to discuss
your project-specific requirements.

EMAIL PLANS to

sales@thermotekwindows.com.au

UPLOAD PLANS visit

www.thermotekwindows.com.au

Uw 1.0 - 2.3
WERS RATED



Windows and doors with the lowest Uw-rating
offer the greatest insulation and energy
efficiency.

ENERGY EFFICIENT WINDOWS AND DOORS

Australian Made

Exceeds Australian Standards



Awning

Casement

Tilt and Turn

Sliding

Fixed

Lift and Slide

Smart Sliding

Swing and Slide

Glass and French

Entry

Enjoy life-long comfort and savings all year round.