

CARPORTS

PATIO COVERS

GARAGES

SHEDS

SHEDS & OUTDOOR STRUCTURES

www.abscosheds.com.au

ACCESSORIES

GTEE

PLIE

CHICKEN COOPS







CONTENTS

03 SPAC	E SAVER STORAGE	
----------------	-----------------	--

- 05 PREMIER GARDEN SHED
- REGENT GARDEN SHED
- BASIC SHED / POOL PUMP COVER / BIKE SHEDS
- EZI STORAGE
- HIGHLANDER SHED
- UTILITY SHED
- WORKSHOP SHED
- FORTRESS SHED
- RURAL SHED
- BUSHRANGER SHED
- CHICKEN COOPS
- GARAGES
- 21 PATIO COVER
- SKILLION ROOF CARPORTS
- GABLE ROOF CARPORTS
- 26 ECONOMY SPACE SAVER STORAGE
- 27 ECONOMY PREMIER SHEDS / ECONOMY WORKSHOP SHEDS
- ACCESSORIES
- 29 CYCLONE KIT
- MATRIX TABLE

SPACE SAVER STORAGE





PRODUCT







SPECIFICATIONS

MODEL 15081SK

- » 1.52mW x 0.78mD x 1.95mH
- » Shown in Zincalume[®]
- » Skillion Roof, Single Door
- $\, \text{\scriptscriptstyle > } \,$ Wind rated N2

Zincalume® \$286

Colour[®] \$388

MODEL 15151SK

- » 1.52mW x 1.52mD x 2.08mH
- » Shown in Pale $Eucalypt^{(\!\!R\!)}$
- » Skillion Roof, Single Door
- » Wind rated N2

MODEL 23081SK

Zincalume® \$560

» 2.26mW x 0.78mD x 1.95mH

» Shown in Woodland Grey[®]


» Skillion Roof, Single Door

```
Zincalume<sup>®</sup> $492 Color
```




Colour[®] \$629

E 50 0.75 m 1.52 m 1.52 m 1.52 m



DIMENSIONS





SPACE SAVER COLOUR OPTIONS:

Zincalume[®] (ZA) Classic Cream Pale Eucalypt[®] (CC) (PE)

Woodland Grey

Monument[®]

Ģ

<u>_</u>



PREMIER GARDEN SHED





PRODUCT

SPECIFICATIONS

DIMENSIONS



MODEL 15151GK

- » 1.52mW x 1.52mD x 1.95mH
- » Shown in Zincalume $^{\mathbb{R}}$
- » Gable Roof, Single Door
- » Wind Rated N2

Zincalume[®] \$583

MODEL 23151GK

» Wind Rated N2 Zincalume[®] \$629


» 2.26mW x 1.52mD x 1.95mH


» Shown in Classic Cream™» Gable Roof, Single Door



Colour[®] \$823

m 56.1 7.52 m 1.52 m 1.52 m





PREMIER COLOUR OPTIONS:

Zincalume®

Woodland Grey (WG)

Monument[®] (MN)



Premier models are wind rated N2. CYCGK Cyclone kits available for these models. CYC15 available for 15151GK.

REGENT GARDEN SHED





PRODUCT

SPECIFICATIONS






MODEL 23141RK

- » 2.26mW x 1.44mD x 2.00mH
- » Shown in Pale Eucalypt®
- » Gable Roof, Single Door
- » Wind Rated N2
- Colour[®] \$800


MODEL 23221RK

- » 2.26mW x 2.18mD x 2.00mH
- » Shown in Woodland Grey®
- » Gable Roof, Single Door
- » Wind Rated N2

Colour® \$880



DIMENSIONS






MODEL 30142RK

- » 3.00mW x 1.44mD x 2.06mH
- $\, \ast \,$ Shown in Woodland Grey $^{\! \mathbb{8}}$
- » Gable Roof, Double Door
- » Wind Rated N2








MODEL 30222RK

- » 3.00mW x 2.18mD x 2.06mH
- » Shown in Classic Cream[™]
- » Gable Roof, Double Door
- » Wind Rated N2








MODEL 30292RK

- » 3.00mW x 2.92mD x 2.06mH
- $\, \text{ \ \ shown in Pale Eucalypt}^{\scriptscriptstyle \mathbb{R}} \,$
- » Gable Roof, Double Door
- » Wind Rated N2









MODEL 30372RK

- » 3.00mW x 3.66mD x 2.06mH
- » Shown in Woodland $\operatorname{Grey}^{\scriptscriptstyle (\! R \!)}$
- » Gable Roof, Double Door
- » Wind Rated N2





REGENT COLOUR OPTIONS:





Regent models are wind rated N2. CYCRK Cyclone kits available for these models. CYC15 available for 15141RK.


BASIC SHED / POOL PUMP COVER / BIKE SHED





EZI STORAGE





» Flat Roof, Single Door Zincalume® \$289

Colour[®] \$326

0.69 m 0.78 m





EZI STORAGE 08151FK

- » 0.78mW x 1.52mD x 1.80mH
- » Shown in Monument®
- » Flat Roof, Single Door

Zincalume® \$326 Colour[®] \$402

EZI STORAGE 30082EK* » 3.00mW x 0.78mD x 1.95mH

» Skillion Roof, Double Sliding Doors

(MN)


Colour[®] \$548

» Shown in Zincalume®

Wind Rated N2

Zincalume[®] \$548

»



.95 m 0.78 m

*Wall footprint is 0.78m. The doors/door track sits in front of the walls, making the total depth 0.852m

COLOUR OPTIONS:

Zincalume®

Classic Cream[™] (CC)

Pale Eucalypt[®]

(PF)

Woodland Grey Monument® *30082EK only available in Zincalume®, Classic Cream™ and Woodland Grey®

HIGHLANDER SHED



PRODUCT	SPECIFICATIONS	DIMENSIONS
	MODEL 30292HK » 3.00mW x 2.92mD x 2.30mH » Shown in Zincalume [®] » Gable Roof, Double Doors Zincalume [®] \$1,315 Colour [®] \$1,681	1.53 m
	MODEL 45232HK » 4.48mW x 2.26mD x 2.30mH » Shown in Classic Cream™ » Gable Roof, Double Doors Zincalume [®] \$2,126 Colour [®] \$2,618	238 m 4.48 m
	 MODEL 60303HK » 5.96mW x 3.00mD x 2.30mH » Shown in Classic Cream[™] » Gable Roof, Double Doors » Single personal access door Zincalume[®] \$2,812 Colour[®] \$3,487 	E 00 m 2.00 m 5.96 m 5.96 m
	MODEL 3045HK » 3.00mW x 4.48mD x 2.30mH » Shown in Pale Eucalypt® » Gable Roof, Double Doors » Single personal access door Zincalume® \$2,458 Colour® \$3,082	E C C C C C C C C C C C C C C C C C C C
	MODEL 3060HK » 3.00mW x 5.96mD x 2.30mH » Shown in Woodland Grey® » Gable Roof, Double Doors » Single personal access door Zincalume® \$3,122 Colour® \$3,773	5.96 m
Lightander colour optic Zincalume® Classic Cream™ (CC) Pale Eucalypt		

EXTRA HIGH GARDEN SHED

2300mm high at the gable, this shed is ideal for the taller guy and the serious handyman.



Highlander Sheds are wind rated N2. CYCHK Cyclone kit available for these models.

UTILITY SHED





PRODUCT

SPECIFICATIONS

DIMENSIONS




MODEL 3045UTK

- » 3.00mW x 4.48mD x 2.06mH
- » Shown in Zincalume $^{\mathbb{R}}$
- » Gable Roof, Double Door
- » Personal access door included

Zincalume® \$2,177

Colour[®] \$2,458





UTILITY COLOUR OPTIONS:

Classic Cream[™]

Pale Eucalypt®

MODEL 3060UTK

- » 3.00mW x 5.96mD x 2.06mH
- » Shown in Pale Eucalypt[®]
- » Gable Roof, Double Door
- » Personal access door included

```
Zincalume<sup>®</sup> $2,618
```

Colour[®] \$3,155

E 90.7 3.00 m 5.96 m 0.75 m

Ą

Zincalume® (ZA)

WORKSHOP SHED





PRODUCT

Classic Cream

(CC)

Zincalume®


(ZA)

Pale Eucalypt®

Woodland Grey

SPECIFICATIONS

DIMENSIONS



Monument®

(MN

Workshop and Utility models.

FORTRESS SHED

AVAILABLE IN:

Classic Cream[™] V

Woodland Grey[®]

Monument[®] (MN)



PRODUCT







SPECIFICATIONS

MODEL: 30081LK

- » 3.00mW x 0.78mD x 2.40mH
- » Shown in Monument $\ensuremath{\mathbb{R}}$
- » Roller Door, Flat Roof
- » Downpipes and gutters included
- » Strong internal bracing



MODEL: 30151LK

- » 3.00mW x 1.52mD x 2.40mH
- » Shown in Classic Cream™
- » Roller Door, Flat Roof
- » Downpipes and gutters included
- » Strong internal bracing




MODEL: 30301LK


- » 3.00mW x 3.00mD x 2.40mH
- » Shown in Woodland Grey®
- » Roller Door, Flat Roof
- » Downpipes and gutters included
- » Strong internal bracing


Colour[®] \$4,355

DIMENSIONS




*Wall footprint is 0.78m. The gutter/downpipe sits behind the shed making the total depth 0.90m





RURAL SHED





PRODUCT

SPECIFICATIONS

DIMENSIONS




MODEL: 3030RS

- » 3.00mW x 3.00mD x 2.53mH
- » Shown in Woodland Grey®
- » Gutters and Downpipes included

Colour[®] \$2,401

- » Strong Internal Framework
- » Wind Rating N2

Zincalume® \$1,829




RURAL SHED COLOUR OPTIONS:

Zincalume[®] Pale Eucalypt[®] Woodland Grey[®] Monument[®]

NOTE: Engineers plans for submission to local authority required. Check with your local council before ordering.

BUSHRANGER SHED





PRODUCT







SPECIFICATIONS

BUSHRANGER 3023BRK

- » 3.00mW x 2.26mD x 2.30mH
- » Shown in Classic Cream[™]
- » Matching Roller Shutter Door
- » Gable roof

Colour® \$ 2,492




- » 3.00mW x 3.00mD x 2.30mH
- » Shown in Pale Eucalypt $^{I\!\!R}$ with Surf Mist $^{I\!\!R}$ door
- » Gable roof
- » Door in Surf Mist®

Colour[®] \$2,744

HIGHLANDER GARAGE 3060HGK

- » 3.00mW x 5.96mD x 2.30mH
- » Shown in Woodland $\operatorname{Grey}^{\mathbb{R}}$
- » Matching Door
- » Single side access door included

Colour[®] \$4,170




COLOUR OPTIONS:


Classic CreamTM

Pale Eucalypt[®] Woodland Grey[®]

NOTE: All models come with a Surfmist® gable piece. Pale Eucalypt Bushrangers have a Surfmist® Door, all other models have a matching door. All Bushrangers come with a Rollashield Premium Roller Shutter Door, with an optional electric motor (sold separately at time of purchase). The warranty of both the Rollashield Premium Roller Shutter Door and electric motor are not covered under Absco's Lifetime Warranty.

DIMENSIONS





CHICKEN COOPS





PRODUCT





SPECIFICATIONS

MODEL: A15081FKFD

- » 1.52mW x 0.78mD x 1.80mH
- » Shown in Pale Eucalypt $^{\mathbb{R}}$
- » Wide mesh panels for easy viewing
- » Flat Roof, Single Door

MODEL: A15151FKFD » 1.52mW x 1.52mD x 1.80mH

» Shown in Zincalume ${}^{\mathbb{R}}$

» Flat Roof, Single Door

Zincalume[®] \$457

» Wide mesh panels for easy viewing







Colour[®] \$633

0.78m 1.52m

DIMENSIONS





» All screws and boits required to mount your reeder & drinker Easy, clean, low-maintenance, all-in-one chicken feeder and drinker system. Hungry Chooks is mounted off the ground reducing the presence of rodents and pests. The PVC fittings and bolt-on storm cover guarantees your feed will remain dry.

CHICKEN COOP COLOUR OPTIONS:

Zincalume[®] (ZA)

Pale Eucalypt[®]



BARN DOOR GARAGES

SINGLE & DOUBLE



PRODUCT

SPECIFICATIONS

MODEL: CG34552N2

- » 3.42mW x 5.50mD x 2.47mH
- » Shown in Classic Cream™
- » Single Garage with double hinged barn doors
- » Personal access door available» Wind Rating: N2

```
Colour<sup>®</sup> $3,865
```

E LE LI Z 5.49 m 2.47 m 3.42 m

DIMENSIONS




MODEL: CG56552N2

- » 5.64mW x 5.50mD x 2.64mH
- » Shown in Monument[®]
 » Double Garage with double hinged barn doors
- » Personal access door available
- » Wind Rating: N2



Monument[®] (MN)



GARAGE COLOUR OPTIONS

Classic Cream[™]

(CC)

Pale Eucalypt[®] Woodland Grey[®]

www.abscosheds.com.au 19

ROLLER DOOR GARAGES





PRODUCT


SPECIFICATIONS



- » 3.70mW x 6.00mD x 3.20mH
- » Shown in Woodland $\operatorname{Grey}^{\mathbb{R}}$
- » Single Garage with single roller door
- » Personal access door available
- » Wind Rating: N2

Colour® \$5,063

DIMENSIONS





MODEL: RG60602N2

- » 5.95mW x 5.95mD x 3.40mH
- » Shown in Pale Eucalypt $^{\mathbb{R}}$
- » Double Garage with double roller doors
- » Personal access door available
- » Wind Rating: N2

Colour[®] \$6,043

E 97 C 5.95 m 2.40 m 5.95 m

- Assembly videos available on the app
- All galvanised framing sections marked with part numbers
- Maintenance free all steel construction
- For non-cyclonic areas only
- Skylight Sheet available (1.9m x 0.75m)

NOTE: Engineers plans for submission to local authority required. Check with your local council before ordering.

PATIO COVERS

- Maintenance free all steel construction
- Downpipes and gutters included
- SKYAW Skylight Panel Available: 2930mm x 750mm



PRODUCT

SPECIFICATIONS

MODEL: PATIO3

- » 3.00mW x 3.00mD x 3.00mH
- » Standard Clearance: 2.75m
- » Shown in Classic Cream™
- » Wind Rating C2

Zincalume[®] \$757









MODEL: PATIO6

- » 6.00mW x 3.00mD x 3.00mH
- » Standard Clearance: 2.75m
- » Shown in Monument®
- » Wind Rating C2







PATIO COVER COLOUR OPTIONS:

 Zincalume® (ZA)
 Classic Cream™ (CC)
 Pale Eucalypt® (PE)
 Woodland Grey® (WG)
 Monument® (MN)

 * Pale Eucalypt® and Classic Cream™ Patio Covers come with Classic Cream™ frame and posts.
 *** Zincalume®, Woodland Grey® and Monument Patio Covers come with Zincalume® frame and posts.
 *** Colour not included on both sides. Underside of Patio Cover is Shadow Grey.

Patio Covers are wind rated C2.

SKILLION ROOF CARPORTS



PRODUCT

SPECIFICATIONS


DIMENSIONS



MODEL: CARPORTS33

- » 3.00mW x 5.5mD x 2.25mH
- » Standard Clearance: 2.06m
- » Wind Rating: N2
- » Shown in Zincalume $^{\mathbb{R}}$








MODEL: CARPORTS50

- » 3.00mW x 5.50mD x 2.25mH
- » Standard Clearance: 2.06m
- » Wind Rating: C2
- » Shown in Woodland Grey®

Zincalume[®] \$2,343 Colour[®] \$2,880

Extra High Carport (Adds 600mm) MODEL:CARPORTS50EX6 Zincalume[®] \$3,774 Colorbond[®] \$4,469



CARPORT COLOUR OPTIONS:

Zincalume [®] Classic Cream TM Pale Eucalypt [®] Woodland Grey [®] Monument [®] (MN)

NOTE: Engineers plans for submission to local authority required. Check with your local council before ordering.









PRODUCT

SPECIFICATIONS

DIMENSIONS

- » 5.50mW x 5.50mD x 2.25mH
- » Standard Clearance: 2.06m
- » Wind Rating: N2
- » Shown in Classic Cream™








MODEL: CARPORTD50

- » 5.50mW x 5.50mD x 2.25mH
- » Standard Clearance: 2.06m
- » Wind Rating: C2
- » Shown in Pale Eucalypt $^{\mathbb{R}}$

Zincalume® \$4,003 Colour® \$4,671 Extra High Carport (Adds 600mm) MODEL: CARPORTD50EX6 Zincalume® \$5,358 Colorbond® \$5,966



ALL CARPORTS HAVE THE FOLLOWING:

Carports come with Zincalume® posts & framework. Underside of carport is Shadow Grey. Gutters form part of roof frame. Separate downpipes are included. All fixings, including the concrete slab attachments are standard. Anchors included. A Cyclone kits not available for these models.

GABLE ROOF CARPORTS

GCPDW41 Shown in Woodland Grey®




ALL CARPORTS HAVE THE FOLLOWING:

Carports come with Zincalume® posts & framework. Underside of carport is Shadow Grey. Gutters form part of roof frame. Separate downpipes are included. All fixings, including the concrete slab attachments are standard. Anchors included. A Cyclone kit not available for these models.

CARPORT COLOUR OPTIONS:

Zincalume [®]	Classic Cream [™]	Pale Eucalypt®	Woodland Grey [®]
(ZA)	(CC)	(PE)	(WG)

NOTE: Engineers plans for submission to local authority required. Check with your local council before ordering.



PRODUCT




MODEL: GCARPORTS41

- » 3.00mW x 6.00mD x 2.66mH
- » Standard Clearance: 2.17m
- » Wind Rating: N3







DIMENSIONS




MODEL: GCARPORTD41

- » 6.00mW x 6.00mD x 2.98mH
- » Standard Clearance: 2.17m
- » Wind Rating: N3
- $\, \text{ > } \,$ Shown in Woodland Grey $^{\scriptscriptstyle (\! R \!)}$



Extra High Carport (Adds 600mm) MODEL: GCARPORTD41EX6 Zincalume[®] \$5,442 Colorbond[®] \$6,722





ECONOMY SPACE SAVER COLOUR OPTIONS:

ZINC

CREAM

GREY

ECONOMY PREMIER SHEDS





ECONOMY PREMIER COLOUR OPTIONS:

CREAM

ZINC

GREY

ECONOMY WORKSHOP SHEDS





ECONOMY WORKSHOP COLOUR OPTIONS:

GREY

ACCESSORIES



ANCHOR KITS - \$29

- » 4 Pack includes:
 - » 4 x 10mm Bolts & Nuts
 - » 4 x Strong 3mm Galvanised Brackets
 - » 4 x 10mm Dynabolts
- » Model: ANCHOR4
- » Permanent secure installation
- » Manufacturers 10 Year Warranty
- » Warranty Compliant for Absco Sheds

12 ANCHORS (3 packs)	16 ANCHORS (4 packs)	24 ANCHORS (6 packs)
2.26m x 1.52m	3.00m x 1.52m	3.00m x 4.48m
2.26m x 2.26m	3.00m x 2.26m	3.00m x 5.22m
	3.00m x 3.00m	4.48m x 2.26m
	3.00m x 3.70m	4.48m x 3.00m
		5.22m x 2.26m
	(3 packs) 2.26m x 1.52m	(3 packs) (4 packs) 2.26m x 1.52m 3.00m x 1.52m 2.26m x 2.26m 3.00m x 2.26m 3.00m x 3.00m 3.00m x 3.00m

6.00m x 3.00m

KITS

REQ

1

2

1.5

3

4.5

6

8

SNOW FRAMES - \$249

» Model: SNOW3018

Timber Floor Kit

- » Ensures strength during winter
- » Fits inside 3m wide garden sheds
- Number of snow frames required depends on size of the shed.
 Please refer to our website:
 www.abscosheds.com.au



TIMBER FLOORING KIT - \$195

- » 1.52mW x 0.78mD
- » Model: TIMBFLR
- » 100% Australian renewables plantation grown timber
- » Pre-measured, cut & treated for long term protection
- » Ideal for sloping sites
- » Easy to assemble with full instructions
- » Not suitable in high wind areas
- » Manufacturer's 10 year warranty

Note: Timber floor kits are designed as a temporary flooring solution. Sheds must be anchored to a concrete slab to comply with Absco Sheds Lifetime Warranty.

*Models with sliding doors are not compatible with timber flooring kits

SKYLIGHT / SLIDING PERSPEX WINDOW

Skylight sheets enable light into your shed without the need for electricity. Made from tough fibreglass, this sheet is to be used when erecting the roof of your shed. Manufacturer's 10 year warranty.

SUITABLE FOR	MODEL	PRICE
Awnings Skylight: 2930mm (L) x 780mm (W)	SKYAW	\$239
Garages Skylight: 1900mm (L) x 750mm (W)	SKYGA	\$236
Rural Shed Skylight: 1580mm (L) x 750mm (W)	SKYRS	\$99
Garden Sheds Skylight: 1545mm (L) x 330mm (W)	SKYSH	\$99
Sliding Perspex Window: 730mm (L) x 230mm (W)	SLPW	\$144

» Maximum of 1 perspex window per 2.3 meter panel

- » Garden Sheds Skylight: not available on smaller sheds (1545mm deep or less)
- » Skylight made from tough fibreglass
- » Sliding perspex window made from tough acrylic sheeting and PVC frame



SHED SIZE

1.5m x 0.8m

1.5m x 1.5m

2.3m x 0.8m

2.3m x 1.5m

2.3m x 2.3m

3.0m x 2.26m

3.0m x 3.0m

CYCLONE KIT

Most Absco Sheds are approved to Australian Standards AS11790.2.02 non-cyclonic conditions (N2)*. Installing a Cyclone Kit will upgrade your shed to C1. Please check the wind rating carefully and check the requirements with your local council before purchasing.

MODEL	CYCLONE KIT	PRICE
1.5mW x 1.5mD Sheds	CYC15	\$320
Space Saver Range	CYCSKRSK	\$400
Premier Range	CYCGK	\$613
Regent Range	CYCRK	\$812
Utility Range	CYCWKUTK	¢1 ∩10
Workshop Range	CICWKUIK	\$1,018
Highlander Range	СҮСНК	\$1,018

Information

- » Each frame kit is compatible with multiple shed sizes, as our sheds range in size from 1.5m to 6m. Cutting the frame to size is necessary for some models.
- » Installation of the Cyclone Kit is required *during* the garden shed assembly for the Regent, Utility, Workshop and Highlander Cyclone Kits. The Space Saver, Premier and 1.5m Cyclone Kits can be installed after shed construction.



6 We have a block of land in Mission Beach with an Absco Shed on it. Our shed has survived both Cyclone Larry and Cyclone Yasi and we couldn't be happier or more relieved to find it still intact thanks to the Absco Cyclone Kit installed. **9**

PATRICK, MISSION BEACH OLD CUSTOMER TESTIMONIAL

HOW TO CHOOSE AN ABSCO PRODUCT

STEP 1 - SIZE & COLOUR

Measure the space you have available and what colour would suit your surroundings. Absco products are available in Zincalume[®] and COLORBOND[®] colours, with Surfmist® trim unless otherwise stated.

Recommendation: Lay a concrete slab prior to building your shed. When laying a concrete slab, ensure there is a rebated edge 25mm deep, 75mm wide, around the perimeter. This will help water egress from the base of the shed.

STEP 2 - ROOF & DOORS

Absco sheds come with either a Gable, Skillion or Flat roof. Some ranges come with single, double, hinged, roller or sliding doors. Space Saver sheds have a sloping skillion roof designed specifically for small areas. Both Premier & Regent sheds have a gable roof and use a roof ridge beam. Premier & Regent sheds come with hinged doors. Absco Garages come with shutter, roller or barn doors. Personal access doors are available to purchase for all garages.

STEP 3 - CYCLONE KIT

Most Absco sheds are approved to Australian Standards AS11790.2.02 non-cyclonic conditions (N2). See table above on how to choose the right cyclone kit for your shed if you wish to have a higher wind rating than N2. If you reside in a cyclonic region please note the information in the guidelines prior to making your purchase.

Warning: It is recommended that new Galvanized mesh on your chicken coop should be weathered for two (2) months or scrubbed with a mild acidic solution such as vinegar, then rinsed with water before being used in bird housing appliances.

CYCLONIC REGION GUIDELINES

(1) SELECT PRODUCT (2) ABSCO PLANS (3) BUILDING APPROVAL (4) PURCHASE (5) CONSTRUCTION

Most Absco products are suitable for construction in Queensland non-cyclonic regions (N2) but are not suitable for construction and will not gain council building approval in some cyclonic regions within 100km of the northern coastline of Australia.

The wind classification of your property depends on Wind Region, Terrain Category, Shielding Factor, and Topography Effect. This information is outlined in our Cyclone Kit Upgrade Guidelines & Classifications document.

For more information on wind classifications in your area, please check with your local council before purchasing an Absco product.

Documentation:

For construction in cyclonic regions it is essential that you apply for and attain written council building approval before you purchase.

Once you have selected your Absco product, email the model number together with your site address to: **admin@absco.com.au** and we will email you the corresponding engineering documentation that you will need to submit for your building permit.

Absco will not accept any responsibility or liability, for any Absco product supplied or constructed within a cyclonic region prior to receiving a written building approval that may subsequently fail to receive final building certification.

ABSCO SHEDS MATRIX TABLE

DIMENSIONS & WIND RATINGS

CODE		SHE	D SIZE		CLEAI	RANCES	WIND RATING	CYCLONE KIT UPGRADE	
	WIDTH	VIDTH DEPTH HEIGHT POINT		HIGHEST	DOOR		NO		
	(mW)	(mD)	(mH)	(mH)	WIDTH (mm)	HEIGHT (mm)	N2	C1	
SPACE SAVE	R								
15081SK	1.52	0.78	1.80	1.95	750	1725	×		
15151SK	1.52	1.52	1.80	2.08	750	1725	×	CYC15	
23081SK	2.26	0.78	1.80	1.95	750	1725			
23151SK	2.26	1.52	1.80	2.08	750	1725	×	CYCSKRSK	
30082SK	3.00	0.78	1.80	1.95	1530	1725			
30151SK	3.00	1.52	1.80	2.08	750	1725	×	CYCSKRSK	
30152SK	3.00	1.52	1.80	2.08	1530	1725	×	CYCSKRSK	
REVERSE SK	ILLION SPA	CE SAVER							
15081RSK	1.52	0.78	1.65	1.80	750	1725	×		
23151RSK	2.26	1.52	1.52	1.80	750	1725	×	CYCSKRSK	
PREMIER									
15151GK	1.52	1.52	1.80	1.95	750	1725	×	CYC15	
23151GK	2.26	1.52	1.80	1.95	750	1725	×	CYCGK	
23231GK	2.26	2.26	1.80	2.00	750	1725	×	CYCGK	
30152GK	3.00	1.52	1.80	1.95	1530	1725	×	CYCGK	
30232GK	3.00	2.26	1.80	2.00	1530	1725	×	CYCGK	
30302GK	3.00	3.00	1.80	2.06	1530	1725	×	CYCGK	
REGENT									
23141RK	2.26	1.44	1.80	2.00	750	1725	×	CYCRK	
23221RK	2.26	2.18	1.80	2.00	750	1725	×	CYCRK	
30142RK	3.00	1.44	1.80	2.06	1530	1725	×	CYCRK	
30222RK	3.00	2.18	1.80	2.06	1530	1725	×	CYCRK	
30292RK	3.00	2.92	1.80	2.06	1530	1725	×	CYCRK	
30372RK	3.00	3.66	1.80	2.06	1530	1725	×	CYCRK	
BASIC SHED	S								
15231FK	1.52	2.26	1.80	1.80	750	1725	×		
15301FK	1.52	3.00	1.80	1.80	750	1725	×		
BIKE SHED				- ¹					
230813BK	2.26	0.78	1.31	1.31	1560	1120			
J30153BK	3.00	1.52	1.80	2.08	1530	1725	×		
POOL PUMP	COVER								
РРСК	1.52	1.52	1.22	1.49	770	1140			
EZI STORAG	E RANGE								
08081FK	0.78	0.78	1.80	1.80	690	1725			
08151FK	0.78	1.52	1.80	1.80	690	1725			
30082EK	3.00	0.78	1.80	1.95	1440	1725	×		
HIGHLANDE	R								
30292HK	3.00	2.92	2.05	2.30	1530	1970	×	СҮСНК	
3045HK	3.00	4.48	2.05	2.30	2290	1970	×	СҮСНК	
3060HK	3.00	5.96	2.05	2.30	2290	1970	×	СҮСНК	
45232HK	4.48	2.26	2.05	2.30	1530	1970	×	СҮСНК	
60303HK	5.96	3.00	2.05	2.30	1530	1970	×	СҮСНК	
UTILITY	·	- 1 	1		·				
3045UTK	3.00	4.48	1.80	2.06	2290	1725	×	CYCWKUTK	
3060UTK	3.00	5.96	1.80	2.06	2290	1725	×	CYCWKUTK	
WORKSHOP			1		1 				
45232WK	4.48	2.26	1.80	2.00	1530	1725	×	CYCWKUTK	
45302WK	4.48	3.00	1.80	2.06	1530	1725	×	СҮСШКИТК	
60303WK	5.96	3.00	1.80	2.06	1530	1725	×	СҮСШКИТК	

CODE		SHED SIZE				CLEARANCES			NG
	WIDTH (mW)	DEPTH (mD)	WALL HEIGHT (mH)	HIGHEST POINT (mH)	DOOR WIDTH (mm)	HEIGHT (mm)	N2	N3	C2
FORTRESS SHED			(()					
30081LK	3.00	0.78	2.4	2.4	2300	1950			
30151LK	3.00	1.52	2.4	2.4	2300	1950			
30301LK	3.00	3.00	2.4	2.4	2300	1950			
RURAL SHED						1			
3030RS	3.00	3.00	2.05	2.53	2800	1930	×		
GARAGES - BARN D	OOR		1						
CG34552N2	3.42	5.50	2.17	2.47	2470	2180	×		
CG56552N2	5.64	5.50	2.15	2.64	4400	2210	×		
GARAGES - ROLLER		·				· · · · · ·	·		·
RG37601N2	3.70	6.00	2.75	3.20	2400	2300	×		
RD60602N2	5.95	5.95	2.75	3.40	2400	2300	×		
BUSHRANGER SHEE		·	·	·			·		
3023BRK	3.00	2.26	2.05	2.30	2300	1824			
3030BRK	3.00	3.00	2.05	2.30	2300	1824			
3060HGK	3.00	5.96	2.05	2.30	2290	1970			
PATIO COVERS			1						
PATIO3	3.00	3.00	3.00						×
PATIO6	6.00	3.00	3.00						×
CARPORTS - SKILLIC	N					1			
CARPORTS33	3.00	5.50	2.06	2.25			×		
CARPORTS50	3.00	5.50	2.06	2.25					×
CARPORTD33	5.50	5.50	2.06	2.25			×		
CARPORTD50	5.50	5.50	2.06	2.25					×
CARPORTS33EX6	3.00	5.50	2.06	2.85			×		
CARPORTS50EX6	3.00	5.50	2.06	2.85					×
CARPORTD33EX6	5.50	5.50	2.06	2.85			×		
CARPORTD50EX6	5.50	5.50	2.06	2.85					×
CARPORTS - GABLE		·				·			·
GCARPORTS41	3.00	6.00	2.17	2.66				×	
GCARPORTD41	6.00	6.00	2.17	2.98				×	
GCARPORTD41EX6	3.00	6.00	2.17	3.26				×	
GCARPORTD41EX6	6.00	6.00	2.17	3.58				×	
CHICKEN COOPS						·			
A15081FKFD	1.52	0.78	1.80	1.80	700	1725			
A15151FKFD	1.52	1.52	1.80	1.80	700	1725			
A15301FKFD	1.52	2.96	1.80	1.80	700	1725			
A23151GKFD	2.26	1.52	1.80	2.00	700	1725			
A23231GKFD	2.26	2.22	1.80	2.00	700	1725			
A30231GKFD	3.00	2.22	1.80	2.06	700	1725			

ECONOMY RANGE

CODE		SHED SIZE CLEARANCES				ICES	WIND RATING			
	WIDTH	DEPTH	WALL	HIGHEST	DOOR		N2	N3	C2	
	(mW)	(mD)	(mH)	(mH)	WIDTH (mm)	HEIGHT (mm)	INZ			
SPACE SAVER										
15081SECOK	1.52	0.78	1.80	1.95	750	1725	×			
23151SECOK	2.26	1.52	1.80	2.08	750	1725	×			
J30082SECOK	3.00	0.78	1.80	1.95	1530	1725				
PREMIER SHEDS										
30232GECOK	3.00	2.26	1.80	2.00	1530	1725	×			
30302GECOK	3.00	3.00	1.80	2.06	1530	1725	×			
WORKSHOP SHED	5									
52233WECOK	5.22	2.26	1.80	2.06	1530	1725	×			

Absco Sheds have undertaken every effort to ensure all images, pricing and product information is correct and relevant at the time of printing. We reserve the right to correct printing errors at any time without notice. Images included in this catalogue are for illustrative purposes only and may not show all or correct colours, product features and/or optional extras. Absco Sheds - June 2021

CONTACT US 7 DAYS A WEEK

6-12 Activity St, Acacia Ridge QLD 4110
 PO Box 119, Acacia Ridge QLD 4110

C AU 1800 029 701 NZ 0800 466 444

admin@absco.com.au www.abscosheds.com.au